



State of Ohio
Public Works Commission
Application for Financial Assistance

IMPORTANT: Please consult "Instructions for Financial Assistance for Capital Infrastructure Projects" for guidance in completion of this form.

Applicant

Applicant: Defiance County Subdivision Code: 039-00039
 District Number: 5 County: Defiance Date: 08/24/2018
 Contact: Warren Schlatter, P.E., P.S. Phone: (419) 782-4751
(The individual who will be available during business hours and who can best answer or coordinate the response to questions)
 Email: dce@defiance-county.com FAX: (419) 782-3031

Project

Project Name: Powers, Farmer Mark and Buckskin Rd Widening and Paving Zip Code: 43512

Subdivision Type	Project Type	Funding Request Summary
<small>(Select one)</small>	<small>(Select single largest component by \$)</small>	<small>(Automatically populates from page 2)</small>
<input checked="" type="checkbox"/> 1. County	<input checked="" type="checkbox"/> 1. Road	Total Project Cost: <u>649,797 .00</u>
<input type="checkbox"/> 2. City	<input type="checkbox"/> 2. Bridge/Culvert	1. Grant: <u>324,898 .00</u>
<input type="checkbox"/> 3. Township	<input type="checkbox"/> 3. Water Supply	2. Loan: <u>0 .00</u>
<input type="checkbox"/> 4. Village	<input type="checkbox"/> 4. Wastewater	3. Loan Assistance/ Credit Enhancement: <u>0 .00</u>
<input type="checkbox"/> 5. Water (6119 Water District)	<input type="checkbox"/> 5. Solid Waste	Funding Requested: <u>324,898 .00</u>
	<input type="checkbox"/> 6. Stormwater	

District Recommendation (To be completed by the District Committee)

Funding Type Requested	SCIP Loan - Rate: _____ % Term: _____ Yrs	Amount: _____ .00
<small>(Select one)</small>		
<input type="checkbox"/> State Capital Improvement Program	RLP Loan - Rate: _____ % Term: _____ Yrs	Amount: _____ .00
<input type="checkbox"/> Local Transportation Improvement Program	Grant:	Amount: _____ .00
<input type="checkbox"/> Revolving Loan Program	LTIP:	Amount: _____ .00
<input type="checkbox"/> Small Government Program	Loan Assistance / Credit Enhancement:	Amount: _____ .00
District SG Priority: _____		

For OPWC Use Only

STATUS	Grant Amount: _____ .00	Loan Type: <input type="checkbox"/> SCIP <input type="checkbox"/> RLP
Project Number: <u>C</u>	Loan Amount: _____ .00	Date Construction End: _____
<u>C</u>	Total Funding: _____ .00	Date Maturity: _____
Release Date: _____	Local Participation: _____ %	Rate: _____ %
OPWC Approval: _____	OPWC Participation: _____ %	Term: _____ Yrs

1.0 Project Financial Information (All Costs Rounded to Nearest Dollar)

1.1 Project Estimated Costs

Engineering Services

Preliminary Design:	_____	.00	
Final Design:	_____	.00	
Construction Administration:	_____	.00	
Total Engineering Services:	a.) _____	0 .00	_____ 0 %
Right of Way:	b.) _____	.00	
Construction:	c.) _____	649,797 .00	
Materials Purchased Directly:	d.) _____	.00	
Permits, Advertising, Legal:	e.) _____	.00	
Construction Contingencies:	f.) _____	.00	_____ 0 %
Total Estimated Costs:	g.) _____	649,797 .00	

1.2 Project Financial Resources

Local Resources

Local In-Kind or Force Account:	a.) _____	.00	
Local Revenues:	b.) _____	324,898 .00	
Other Public Revenues:	c.) _____	.00	
ODOT / FHWA PID: _____	d.) _____	.00	
USDA Rural Development:	e.) _____	.00	
OEPA / OWDA:	f.) _____	.00	
CDBG:	g.) _____	.00	
<input type="checkbox"/> County Entitlement or Community Dev. "Formula"			
<input type="checkbox"/> Department of Development			
Other: _____	h.) _____	.00	
Subtotal Local Resources:	i.) _____	324,898 .00	_____ 50 %

OPWC Funds (Check all requested and enter Amount)

Grant: <u> 100 </u> % of OPWC Funds	j.) _____	324,898 .00	
Loan: <u> 0 </u> % of OPWC Funds	k.) _____	.00	
Loan Assistance / Credit Enhancement:	l.) _____	0 .00	
Subtotal OPWC Funds:	m.) _____	324,898 .00	_____ 50 %
Total Financial Resources:	n.) _____	649,796 .00	

Project Costs do not equal Financial Resources

1.3 Availability of Local Funds

Attach a statement signed by the Chief Financial Officer listed in section 5.2 certifying all local resources required for the project will be available on or before the earliest date listed in the Project Schedule section. The OPWC Agreement will not be released until the local resources are certified. Failure to meet local share may result in termination of the project. Applicant needs to provide written confirmation for funds coming from other funding sources.

2.0 Repair / Replacement or New / Expansion

2.1 Total Portion of Project Repair / Replacement:	_____ 649,797 .00	_____ 100 %
2.2 Total Portion of Project New / Expansion:	_____ 0 .00	_____ 0 %
2.3 Total Project:	_____ 649,797 .00	_____ 100 %

A Farmland Preservation letter is required for any impact to farmland

3.0 Project Schedule

3.1 Engineering / Design / Right of Way	Begin Date: _____ 06/01/2019 _____	End Date: _____ 03/15/2020 _____
3.2 Bid Advertisement and Award	Begin Date: _____ 03/15/2020 _____	End Date: _____ 03/28/2020 _____
3.3 Construction	Begin Date: _____ 04/15/2020 _____	End Date: _____ 10/30/2020 _____

Construction cannot begin prior to release of executed Project Agreement and issuance of Notice to Proceed. Failure to meet project schedule may result in termination of agreement for approved projects. Modification of dates must be requested in writing by project official of record and approved by the Commission once the Project Agreement has been executed.

4.0 Project Information

If the project is multi-jurisdictional, information must be consolidated in this section.

4.1 Useful Life / Cost Estimate / Age of Infrastructure

Project Useful Life: _____ 15 _____ Years Age: _____ 2033 _____ (Year built or year of last major improvement)

Attach Registered Professional Engineer's statement, with seal or stamp and signature confirming the project's useful life indicated above and detailed cost estimate.

4.2 User Information

Road or Bridge: Current ADT _____ 1,581 _____ Year _____ 2018 _____ Projected ADT _____ 2,500 _____ Year _____ 2038 _____

Water / Wastewater: Based on monthly usage of 4,500 gallons per household; attach current ordinances.

Residential Water Rate Current \$ _____ Proposed \$ _____

Number of households served: _____ 0 _____

Residential Wastewater Rate Current \$ _____ Proposed \$ _____

Number of households served: _____ 0 _____

Stormwater: Number of households served: _____ 0 _____

4.3 Project Description

- A: **SPECIFIC LOCATION** (Supply a written location description that includes the project termini; a map does not replace this requirement.) 500 character limit.

Powers Rd is located in Defiance Township between Krouse and Canal Rd.
Farmer Mark Rd is located in Mark Township between Fountain Street Rd to SR 18.
Buckskin Rd is located in Delaware Township between Flickinger Rd to The Bend Rd.

- B: **PROJECT COMPONENTS** (Describe the specific work to be completed; the engineer's estimate does not replace this requirement) 1,000 character limit.

Powers Road will be paved and widened.
Farmer Mark Road will be paved and widened.
Buckskin Road will be paved and widened.

Item 301 Asphalt Concrete Base
Item 411-Aggregate Berm
Item 448- Asphalt Concrete-Type 1 PG64-22

- C: **PHYSICAL DIMENSIONS** (Describe the physical dimensions of the existing facility and the proposed facility. Include length, width, quantity and sizes, mgd capacity, etc in detail.) 500 character limit.

Powers Rd is currently 18' and will be widened to 22' and 7650' in length between Krouse and CanalRoad.
Farmer Mark Road is currently 20' and will be widened to 23' and 5280' in length between SR 18 to Fountain Street Road.
Buckskin Rd is currently 18' and will be widened to 22' and 10,520' in length between Flickinger Road to The Bend Road.

5.0 Project Officials

Changes in Project Officials must be submitted in writing from an officer of record.

5.1 Chief Executive Officer (Person authorized in legislation to sign project agreements)

Name: Warren Schlatter

Title: Engineer

Address: 510 Court St, Suite 201

City: Defiance State: OH Zip: 43512

Phone: (419) 782-4751

FAX: (419) 782-3031

E-Mail: _____

5.2 Chief Financial Officer (Can not also serve as CEO)

Name: Jill Little

Title: Auditor

Address: 500 W. Second St, Suite 301

City: Defiance State: OH Zip: 43512

Phone: (419) 782-1926

FAX: (419) 782-2761

E-Mail: _____

5.3 Project Manager

Name: Warren Schlatter

Title: Engineer

Address: 510 Court St, Suite 201

City: Defiance State: OH Zip: 43512

Phone: (419) 782-4751

FAX: (419) 782-3031

E-Mail: _____

6.0 Attachments / Completeness review

Confirm in the boxes below that each item listed is attached (Check each box)

- A certified copy of the legislation by the governing body of the applicant authorizing a designated official to sign and submit this application and execute contracts. This individual should sign under 7.0, Applicant Certification, below.
- A certification signed by the applicant's chief financial officer stating the amount of all local share funds required for the project will be available on or before the dates listed in the Project Schedule section. If the application involves a request for loan (RLP or SCIP), a certification signed by the CFO which identifies a specific revenue source for repaying the loan also must be attached. Both certifications can be accomplished in the same letter.
- A registered professional engineer's detailed cost estimate and useful life statement, as required in 164-1-13, 164-1-14, and 164-1-16 of the Ohio Administrative Code. Estimates shall contain an engineer's seal or stamp and signature.
- A cooperative agreement (if the project involves more than one subdivision or district) which identifies the fiscal and administrative responsibilities of each participant.
- Farmland Preservation Review - The Governor's Executive Order 98-IV, "Ohio Farmland Protection Policy" requires the Commission to establish guidelines on how it will take protection of productive agricultural and grazing land into account in its funding decision making process. Please include a Farm Land Preservation statement for projects that have an impact on farmland.
- Capital Improvements Report. CIR Required by O.R.C. Chapter 164.06 on standard form.
- Supporting Documentation: Materials such as additional project description, photographs, economic impact (temporary and/or full time jobs likely to be created as a result of the project), accident reports, impact on school zones, and other information to assist your district committee in ranking your project. Be sure to include supplements which may be required by your local District Public Works Integrating Committee.

7.0 Applicant Certification

The undersigned certifies: (1) he/she is legally authorized to request and accept financial assistance from the Ohio Public Works Commission as identified in the attached legislation; (2) to the best of his/her knowledge and belief, all representations that are part of this application are true and correct; (3) all official documents and commitments of the applicant that are part of this application have been duly authorized by the governing body of the applicant; and, (4) should the requested financial assistance be provided, that in the execution of this project, the applicant will comply with all assurances required by Ohio Law, including those involving Buy Ohio and prevailing wages.

Applicant certifies that physical construction on the project as defined in the application has NOT begun, and will not begin until a Project Agreement for this project has been executed with the Ohio Public Works Commission. Action to the contrary will result in termination of the agreement and withdrawal of Ohio Public Works Commission funding from the project.

Warren Schlatter, Defiance County Engineer

Certifying Representative (Printed form, Type or Print Name and Title)

Warren Schlatter 9-5-2018

Original Signature / Date Signed

BOARD OF DEFIANCE COUNTY COMMISSIONERS

RESOLUTION: IN THE MATTER OF: AUTHORIZING THE COUNTY ENGINEER TO PREPARE AND SUBMIT AN APPLICATION TO PARTICIPATE IN THE OHIO PUBLIC WORKS COMMISSION STATE CAPITAL IMPROVEMENT AND/OR LOCAL TRANSPORTATION IMPROVEMENT PROGRAM(S) AND TO EXECUTE CONTRACTS AS REQUIRED

DATE: THURSDAY, AUGUST 16, 2018

The Board of Commissioners, County of Defiance, State of Ohio met in regular session on the above date in the Defiance County Commissioners' Conference Room with the following members present:

Ryan Mack: PRESENT Michael Pocratsky: PRESENT Gary L. Plotts: PRESENT

Commissioner PLOTTS moved and Commissioner POCRATSKY seconded the adoption of the following Resolution:

WHEREAS, the State Capital Improvement Program and the Local Transportation Improvement Program both provide financial assistance to political subdivisions for capital improvements to public infrastructure; and

WHEREAS, the Defiance County Engineer is planning to make capital improvements to Powers Rd (Canal and Krouse Rd), Farmer Mark Rd (SR 18 and Fountain Street Rd), and Buckskin Rd (Flickinger Rd to The Bend Rd) and,

WHEREAS, the infrastructure improvement herein above described is considered to be a priority need for the community and is a qualified project under the OPWC programs.

THEREFORE, BE IT RESOLVED, that the Board of Defiance County Commissioners, Defiance County, Ohio:

Section 1 Hereby authorizes Warren J. Schlatter, P.E., P.S., County Engineer, to apply to the OPWC for funds as described above;

Section 2 That Warren J. Schlatter, P.E., P.S. is authorized to enter into any agreements as may be necessary and appropriate for obtaining this financial assistance.

BE IT FURTHER RESOLVED, that it is found and determined that all formal actions of this Board concerning and relating to the adoption of this Resolution were so adopted in an open meeting of this Board and that all deliberations of this Board and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

DEFIANCE COUNTY

CHIEF FINANCIAL OFFICER'S CERTIFICATION

I, Jill Little, County Auditor, Defiance County, Ohio hereby certify that Defiance County has the required local share for the proposed **Powers, Farmer Mark and Buckskin Road Widening and Paving** project or is in the process of collecting such funds and that such funds will be appropriated to the County Engineer's budget to pay the local share for the 2018 Local Transportation Improvement Program project in the amount of **\$324,898** for which funding is requested from the Ohio Public Works Commission.



Jill Little
County Auditor

9-5-2018

Date

Powers, Farmer Mark & Buckskin Rd Widening and Paving

Project Cost Estimate

Powers Rd

Item	Qty	Units	Description	Unit \$	Amount
301	1652	Tons	Asphalt Concrete Base	\$65.00	\$107,380.00
411	377	Tons	Aggregate Berm	\$36.00	\$13,572.00
448	1558	Tons	Asphalt Concrete - Type 1 PG64-22	\$74.00	\$115,292.00
Subtotal:					\$236,244.00

Farmer Mark Rd

Item	Qty	Units	Description	Unit \$	Amount
301	456	Tons	Asphalt Concrete Base	\$65.00	\$29,640.00
411	260	Tons	Aggregate Berm	\$36.00	\$9,360.00
448	1124	Tons	Asphalt Concrete Type 1 PG 64-22	\$74.00	\$83,176.00
Subtotal:					\$122,176.00

Buckskin Rd

Item	Qty	Units	Description	Unit \$	Amount
301	1755	Tons	Asphalt Concrete Base	\$65.00	\$114,075.00
411	520	Tons	Aggregate Berm	\$36.00	\$18,720.00
448	2143	Tons	Asphalt Concrete Type 1 PG 64-22	\$74.00	\$158,582.00
Subtotal:					\$291,377.00

Estimated Useful Life of Project: 15 Years \$649,797.00

Registered Engineer's Estimate of Cost and Certification of the Useful Life of the Project:


This is to certify that I, Warren J. Schlatter, Professional Engineer, Ohio Registration No. 67103 have examined the above project being submitted to the Ohio Public Works Commission for funding and do certify the cost and useful life of the project to be as accurate as possible at this time.

Warren Schlatter

Warren J. Schlatter, P.E., P.S.

9-5-2018

Date



**Supplementary Information
Powers and Farmer Mark Road**

Powers Road



Looking east on Powers Road.
The roadway has a dip and wheel rutting.



Looking west on Powers Road. The pavement
has chunks missing and some patching.

Farmer Mark Road



Looking north on Farmer Mark Rd. The pavement has wheel rutting and the edge is cracked.



Looking south on Farmer Mark Road. The pavement has patches and the edge is missing.

Supplementary Information
Buckskin Road

Buckskin Road



Looking west on Buckskin Rd. The pavement has chunks of road missing.



Looking east on Buckskin Rd. The pavement has wheel rutting.

Revised: June 18, 2018

**DISTRICT 5
CAPITAL IMPROVEMENT PROJECTS
QUESTIONNAIRE
ROUND 33**

Name of Applicant: Defiance County Engineer

Project Title: Powers, Farmer Mark and Buckskin Rd Widening and Paving

The following questions are to be answered for each application submitted for State Issue II SCIP, LTIP and Loan Projects. Please provide specific information using the best documentation available to you. Justification of your responses to these questions will be required if your project is selected for funding, so please provide correct and accurate responses.

1. What percentage of the project in repair A= **100**%, replacement B= __%, expansion C= __%, and new D= __%? (Use dollar amounts of project to figure percentages and make sure the total equals one hundred(100) percent) A+B= __% C+D= __%

Repair/Replacement = Repair or Replacement of public facilities owned by the government (any subdivision of the state).

New/Expansion = Replacement of privately owned wells, septic systems, private water or wastewater systems, etc.

2. Give the physical condition rating from the Capital Improvements Report (CIR) Inventory :

Closed or Not Operating: The condition is unusable, dangerous and unsafe. The primary components have failed. The infrastructure is not functioning at all.

Critical: The condition is causing or contributing to a serious non-compliance situation and is threatening the intended design level of service. The infrastructure is functioning at seriously diminished capacity. Imminent failure is anticipated within 18 months. Repair and/or replacement is required to eliminate the critical condition and meet current design standards. **(For Road Projects structural repair items would represent a minimum of 25% of the total Project Cost).**

Poor: The condition is substandard and requires repair/replacement in order to return to the intended level of service and comply with current design standards. Infrastructure contains a major deficiency and is functioning at a diminished capacity.

Fair: The condition is average, not good or poor. The infrastructure is still functioning as originally intended. Minor deficiencies exist requiring repair to continue to function as originally intended and/or to meet current design standards.

Good: The condition is safe and suitable to purpose. Infrastructure is functioning as

originally intended, but requires minor repairs and/or upgrades to meet current design standards.

Excellent: The condition is new, or requires no repair. Or, no supporting documentation has been submitted.

The CIR must be included with the application in order to receive points along with supporting documentation (e.g. photos or a narrative) justifying the rating.

3. If the proposed project is not approved what category would best represent the impact on the general health and/or public safety?

ROADS

Extremely Critical: Resurfacing, Restoration, Rehabilitation and Reconstruction (4R) of a Major Access Road.*

Critical: Resurfacing, Restoration and Rehabilitation (3R) of a Major Access Road.*

Major: Resurfacing, Restoration, Rehabilitation and Reconstruction (4R) of a Minor Access Road.*

Moderate: Resurfacing, Restoration and Rehabilitation (3R) of a Minor Access Road.*

Minimal: Preventative Maintenance of a Major Access Road.

No Impact: Preventative Maintenance of a Minor Access Road.

Projects that have a variety of work will be scored in the LOWEST category of work contained in the Construction Estimate.

Road/Street Classifications:

Major Access Road: Roads or streets that have a dual function of providing access to adjacent properties and providing through or connecting service between other roads.

Minor Access Road: Roads or streets that primarily provide access to adjacent properties without through continuity, such as cul-de-sacs or loop roads or streets.

Preventative Maintenance: Non Structural Pavement work such as chip sealing, cape sealing, microsurfacing, crack sealing, etc.

*(3R) Resurfacing, Restoration and Rehabilitation - Improvements to existing roadways, which have as their main purpose, the restoration of the physical features (pavement, curb, guardrail, etc.) without altering the original design elements.

*(4R) Resurfacing, Restoration, Rehabilitation and Reconstruction - Much like 3R, except that 4R allows for the complete reconstruction of the roadway and alteration of certain design elements (i.e., lane widths, shoulder width, SSD, etc.).

BRIDGES SUFFICIENCY RATING

- Extremely Critical: 0-25, or a General Appraisal rating of 3 or less.
- Critical: 27-50, or a General Appraisal rating of 4.
- Major: 51-65 or a General Appraisal rating of 5 or 6.
- Moderate: 66-80 or a General Appraisal rating of 7.
- Minimal: 81-100 or a General Appraisal rating of more than 7.
- No Impact: Bridge on a new roadway.

WASTEWATER TREATMENT PLANTS

- Extremely Critical: Environmental Protection Agency (EPA) orders in the form of a consent decree, findings and orders or court order. Health Department Construction Ban.
- Critical: Improvements ordered by the Environmental Protection Agency (EPA) in the form of NPDES Orders.
- Major: Replace deficient appurtenances. Update existing processes due to EPA recommendations.
- Moderate: Increase capacity to meet current needs or update processes to improve effluent quality.
- Minimal: New/Expansion project to meet a specific development proposal.
- No Impact: New/Expansion to meet future or projected needs.

WATER TREATMENT PLANT

- Extremely Critical: EPA orders in the form of a consent decree, findings and orders or court order.
- Critical: Improvements to meet Environmental Protection Agency (EPA) Safe Drinking Water Regulations and/or NPDES Orders.
- Major: Replace deficient appurtenances. Update existing processes due to EPA recommendations.
- Moderate: Increase capacity to meet current needs or update processes to improve water quality.
- Minimal: New/Expansion project to meet a specific development proposal.
- No Impact: New/Expansion to meet future or projected needs.

COMBINED SEWER SEPARATIONS (May be construction of either new storm or sanitary sewer as long as the result is two separate sewer systems.)

- Extremely Critical: EPA orders in the form of a consent decree, findings and orders or court order. Health Department Construction Ban.
- Critical: Separate, due to chronic backup or flooding in basements.
- Major: Separate, due to documented water quality impairment, or due to EPA recommendations.
- Moderate: Separate, due to specific development proposal within or upstream of the combined system area.
- Minimal: Separate, to conform to current design standards.
- No Impact: No positive health effect.

STORM SEWERS

- Extremely Critical: EPA orders in the form of a consent decree, findings and orders or court order.
- Critical: Chronic flooding (structure damage).
- Major: Inadequate capacity (land damage).
- Moderate: Inadequate capacity with no associated damage.
- Minimal: New/Expansion to meet current needs.
- No Impact: New/Expansion to meet future or project needs.

CULVERTS

- Extremely Critical: Structurally deficient or functionally obsolete. Deterioration has already caused a safety Critical: hazard to the public.
- Critical: Inadequate capacity with land damage and the existing or high probability of property damage.
- Major: Inadequate capacity (land damage).
- Moderate: Inadequate capacity with no associated damage.
- Minimal: New/Expansion to meet current needs.
- No Impact: New/Expansion to meet future or projected needs.

SANITARY SEWERS

- Extremely Critical: EPA orders in the form of a consent decree, findings and orders or court order. Health Department Construction Ban.
- Critical: Replace, due to chronic pipe failure, chronic backup or flooding in basements. Improvements ordered by the Environmental Protection Agency (EPA) in the form of NPDES Orders.
- Major: Replace, due to inadequate capacity or infiltration, or due to EPA recommendations.
- Moderate: Rehabilitate to increase capacity to meet current needs or to reduce inflow and infiltration.
- Minimal: New/Expansion project to meet a specific development proposal.
- No Impact: New/Expansion to meet future or projected needs.

SANITARY LIFT STATIONS AND FORCE MAINS

- Extremely Critical: Structurally deficient. Deterioration has already caused a safety/health hazard to the public, or, EPA orders in the form of a consent decree, findings and orders or court order.
- Critical: Inadequate capacity with actual or a high probability of property damage. Improvements ordered by the Environmental Protection Agency (EPA) in the form of NPDES Orders.
- Major: EPA recommendations, or, reduces a probable health and/or safety problem.
- Moderate: Rehabilitate to increase capacity to meet current needs.
- Minimal: New/Expansion to meet a specific development proposal.
- No Impact: New/Expansion to meet future or projected needs.

WATER PUMP STATIONS

- Extremely Critical: Structurally deficient. Deterioration has already caused a safety hazard to the public, or, EPA orders in the form of a consent decree, findings and orders or court order.
- Critical: Inadequate capacity with the inability to maintain pressure required for fire flows.
- Major: Replace due to inadequate capacity or EPA recommendations.
- Moderate: Rehabilitate to increase capacity to meet current needs.

Minimal: New/Expansion to meet a specific development proposal.

No Impact: New/Expansion to meet future or projected needs.

WATER LINES/WATER TOWERS

Extremely Critical: Solve low water pressure or excessive incidents of main breaks in project area.

Critical: Replace, due to deficiency such as excessive corrosion, etc.

Major: Replace undersized water lines as upgrading process.

Moderate: Increase capacity to meet current needs.

Minimal: New/Expansion project to meet a specific development proposal.

No Impact: New/Expansion to meet future or projected needs.

OTHER

Extremely Critical: There is a present health and/or safety threat.

Critical: The project will provide immediate health and/or safety benefit.

Major: The project will reduce a probable health and/or safety problem.

Moderate: The project will delay a health and/or safety problem.

Minimal: A possible future health and/or safety problem mitigation.

No Impact: No health and/or safety effect.

NOTE: Combined projects that can be rated in more than one subset may be rated in the other category at the discretion of the District 5 Executive Committee. In general, the majority of the cost or scope of the project shall determine the category under which the project will be scored.

(Submittals without supporting documentation will receive 0 Points for this question.)

Extremely Critical X , Critical ___ , Major ___ , Moderate ___ , Minimal ___ , No Impact ___ . Explain your answer.

(Additional narrative, charts and/or pictures should be attached to questionnaire)

4. Identify the amount of local funds that will be used on the project as a percentage of the total project cost.

A.) Amount of Local Funds = \$ 324,898

B.) Total Project Cost = \$ 649,797

RATIO OF LOCAL FUNDS DIVIDED by TOTAL PROJECT COSTS (A÷B)= 50 %

Note: Local funds should be considered funds derived from the applicant budget or loans funds to be paid back through local budget, assessments, rates or tax revenues collected by the applicant.

5. Identify the amount of other funding sources to be used on the project, excluding State Issue II or LTIP Funds, as a percentage of the total project cost.

Grants ___% Gifts ___%, Contributions ___%

Other ___% (explain) _____ , Total ___%

Note: Grant funds and other revenues not contributed or collected through taxes by the applicant should be considered other funds. The Scope of Work for each Funding Source must be the same.

6. Total Amount of SCIP and Loan Funding Requested- An Applicant can request a grant per the categories below for points as indicated on the Priority Rating Sheet. If the Applicant is including a loan request equal to, but not exceeding 50% of the OPWC funding amounts listed below, there will be no point penalty. If loan funds requested are more than 50%, points as listed in the Priority Rating Sheet will apply.

- _____ \$500,001 or More
- _____ \$400,001-\$500,000
- _____ \$325,001-\$400,000
- x _____ \$275,001-\$325,000
- _____ \$175,001-\$275,000
- _____ \$175,000 or Less

There are times when the District spends all of the grant money and has loan money remaining. When this happens, the district makes a loan offer in the amount of the requested grant to the communities that were not funded. The offers are made in the order of scoring. We need to know if you are not successful in obtaining grant dollars for your project if you would be interested in loan money:

YES _____ NO X _____

(This will only be considered if you are not funded with grant money and there is remaining loan money.) **Please note: if you answer “no” you will not be contacted, only if you answer “yes” will an offer be made in the event that there is loan money remaining.**

7. If the proposed project is funded, will its completion directly result in the creation of permanent full-time equivalent (FTE) jobs (FTE jobs shall be defined as 35 hours/week)? Yes ___ No X . If yes, how many jobs within eighteen months? ___ Will the completed project retain jobs that would otherwise be

permanently lost? Yes ___ No ___. If yes, how many jobs _____ **will be created/retrained** within 18 months **following the completion of the improvements?**

(Supporting documentation in the form of letter from affected industrial or commercial enterprises that specify full time equivalent jobs that will be retained or created directly by the installation or improvement of Public infrastructure. Additional items such as; 1) newspaper articles or other media news accounts, 2) public meeting minutes, and/or 3) a letter from the County Economic Development Director or State of Ohio Economic Development Professional that alludes to the requirement for the infrastructure improvement to support the business. Submittals without supporting documentation will receive 0 points for this question.)

8. What is the total number of existing users that will directly benefit from the proposed project if completed? 1,581 (Use households served, traffic counts, etc. and explain the basis by which you arrived at your number.)

9. Is subdivision's population less than 5,000 Yes ___ No x

If yes, continue. You may want to design your project per Small Government Project Evaluation Criteria, released for the current OPWC Round to assist in evaluating your project for potential Small Government Funding. The Small Government Criteria is available on the OPWC website at <http://www.pwc.state.oh.us/Meth.SG.PDF> If No, skip to Question 11.

10. **OHIO PUBLIC WORKS COMMISSION SMALL GOVERNMENT PROGRAM GUIDELINES**

All projects that are sponsored by a subdivision with a population of 5,000 or less, and not earning enough points for District Funding from SCIP or LTIP Funds, are then rated using the Small Government Program Rating Criteria for the corresponding funding round. In order to be rated the entity must submit the Small Government Supplement and their required budgets with their application.

Only infrastructure that is village- or township- owned is eligible for assistance. The following policies have been adopted by the Small Government Commission:

- District Integrating Committees may submit up to seven (7) applications for consideration by the Commission. All 7 must be ranked, however, only the top five (5) will be scored. The remaining two (2) will be held as contingency projects should an application be withdrawn.
- Grants are limited to \$500,000. Any assistance above that amount must be in the form of a loan.
 - Grants for new or expanded infrastructure cannot exceed 50% of the project estimate.
- The Commission may deny funding for water and sewer systems that are deemed to be more

cost-effective if regionalized.

- If a water or sewer project is determined to be affordable, the project will be offered a loan rather than a grant. Pay special attention to the **Water & Wastewater Affordability Supplemental and the Small Government Water & Wastewater Affordability Calculation Worksheet. Both are available on the Small Government Program Tab at <http://www.pwc.state.oh.us/SmallGovernment.html>**

- Should there be more projects that meet the “annual score” than there is funding, the tie breaker is those projects which scored highest under Health & Safety, with the second tie breaker being Condition. If multiple projects have equivalent Health & Safety and Condition scores they are arranged according to the amount of assistance from low to high. Once the funded projects are announced, “contingency projects” may be funded from project under-runs by continuing down the approved project list.

- Supplemental assistance is not provided to projects previously funded by the Commission.

- Applicants have 30 days from receipt of application by OPWC without exception to provide additional documentation to make the application more competitive under the Small Government criteria. Applications will be scored after the 30-day period has expired. The applicants for each District's two (2) contingency projects will have the same 30-day period to submit supplemental information but these applications will not be scored unless necessary to do so. **It is each applicant's responsibility for determining the need for supplemental material. The applicant will not be asked for or notified of missing information unless the Commission has changed the project type and it affects the documentation required. Important information may include, but is not limited to: age of infrastructure, traffic counts or utility users, median income information, user rates ordinances, and the Auditor's Certificate of Estimated Revenues or documentation from the Auditor of State that subdivision is in a state of fiscal emergency.**

If you desire to have your Round 28 project considered for Small Government Funding please download the Small Government Evaluation Criteria applicable to Round 28 by accessing the OPWC Website at <http://www.pwc.state.oh.us/Meth.SG.PDF>. Please complete the Small Government Evaluation Criteria and attach all required supporting documentation and attach it to the District 5 Questionnaire for Round 28.

11. MANDATORY INFORMATION, DISTRICT 5, DISCRETIONARY RANKING POINTS

List all specific user fees: Amount or
ROAD & BRIDGE PROJECTS:(OHIO REVISED CODE) Percentage

Permissive license fee	4504.02 or 4504.06	<u>\$5.00</u>
	4504.15 or 4504.17	<u>\$5.00</u>
	4504.16 or 4504.171	<u>\$5.00</u>
	4504.172	_____
	4504.18	_____

Special property taxes	5555.48	_____
	5555.49	_____

Municipal Income Tax _____

County Sales Tax 6.75

Others _____

(DO NOT INCLUDE SCHOOL TAXES)

SPECIFIC PROJECT AREA INFORMATION.

Median household income \$50,822

Monthly utility rate: Water _____

Sewer _____

Other _____

List any special user fees or assessment (be specific)

POLITICAL SUBDIVISION= _____

COUNTY= DEFIANCE

DISCRETIONARY POINTS (BY DISTRICT COMMITTEE ONLY)= _____

(25-20-15)

Date: 9-5-2018

Signature: Wan Seltt

Title: Defiance County Engineer's Office

Address: 510 Court Street, Suite 201 Defiance, OH 43512

Phone: 419.782.4751

FAX: 419.782.3031

Email: dcestaff@defiance-county.com

**NU-METRICS Traffic Analyzer Study
 Computer Generated Summary Report
 Route: FARMERMARK SOUTH OF ST RT 18
 Location: FARMERMARK SOUTH OF ST RT 18**

A study of vehicle traffic was conducted with HI-STAR unit number 5390. The study was done in the SOUTH lane on FARMERMARK SOUTH OF ST RT 18 in MARK, OH in DEFIANCE county. The study began on 05/02/2018 at 10:00 AM and concluded on 05/03/2018 at 10:00 AM, lasting a total of 24 hours. Data was recorded in 60 minute time periods. The total recorded volume of traffic showed 319 vehicles passed through the location with a peak volume of 36 on 05/02/2018 at 03:00 PM and a minimum volume of 0 on 05/03/2018 at 01:00 AM. The AADT Count for this study was 319.

SPEED

Chart 1 lists the values of the speed bins and the total traffic volume for each bin.

Chart 1

< 10	10	15	20	25	30	35	40	45	50	55	60	65	70	> 75
0	0	8	8	14	34	57	98	59	31	6	2	1	0	0

Half of the vehicles were traveling at 40 Mph or a lower speed. The average speed for all classified vehicles was 39 Mph with 61.9 percent exceeding the posted speed of 35 Mph. The HI-STAR found 0.94 percent of the total vehicles were traveling in excess of 55 Mph. The mode speed for this traffic study was 40 Mph and the 85th percentile was 44.85 Mph.

CLASSIFICATION

Chart 2 lists the values of the eight classification bins and the total traffic volume accumulated for each bin.

Chart 2

< 21	21	28	40	50	60	70	> 80
269	22	16	3	3	2	3	0

Most of the vehicles classified during the study were Passenger Cars. The number of Passenger Cars in the study was 291 which represents 91.50 percent of the total classified vehicles. The number of Small Trucks in the study was 16 which represents 5.00 percent of the total classified vehicles. The number of Trucks/Busses in the study was 3 which represents 0.90 percent of the total classified vehicles. The number of Tractor Trailers in the study was 8 which represents 2.50 percent of the total classified vehicles.

HEADWAY

During the peak time period, on 05/02/2018 at 03:00 PM the average headway between the vehicles was 97.3 seconds. The slowest traffic period was on 05/03/2018 at 01:00 AM. During this slowest period, the average headway was 3600.0 seconds.

WEATHER

The roadway surface temperature over the period of the study varied between 66 and 105 degrees Fahrenheit. The HI-STAR determined that the roadway surface was Dry 100.00 percent of the time.

594

**NU-METRICS Traffic Analyzer Study
Computer Generated Summary Report
Route: FARMERMARK SOUTH OF ST RT 18
Location: FARMERMARK SOUTH OF ST RT 18**

A study of vehicle traffic was conducted with HI-STAR unit number 1891. The study was done in the NORTH lane on FARMERMARK SOUTH OF ST RT 18 in MARK, OH in DEFIANCE county. The study began on 05/02/2018 at 10:00 AM and concluded on 05/03/2018 at 10:00 AM, lasting a total of 24 hours. Data was recorded in 60 minute time periods. The total recorded volume of traffic showed 275 vehicles passed through the location with a peak volume of 30 on 05/03/2018 at 07:00 AM and a minimum volume of 0 on 05/03/2018 at 12:00 AM. The AADT Count for this study was 275.

SPEED

Chart 1 lists the values of the speed bins and the total traffic volume for each bin.

Chart 1

< 10	10	15	20	25	30	35	40	45	50	55	60	65	70	> 75
0	1	2	8	8	26	45	82	54	35	11	2	0	1	0

Half of the vehicles were traveling at 40 Mph or a lower speed. The average speed for all classified vehicles was 40 Mph with 67.2 percent exceeding the posted speed of 35 Mph. The HI-STAR found 1.09 percent of the total vehicles were traveling in excess of 55 Mph. The mode speed for this traffic study was 40 Mph and the 85th percentile was 46.61 Mph.

CLASSIFICATION

Chart 2 lists the values of the eight classification bins and the total traffic volume accumulated for each bin.

Chart 2

< 21	21	28	40	50	60	70	> 80
251	8	9	6	0	1	0	0

Most of the vehicles classified during the study were Passenger Cars. The number of Passenger Cars in the study was 259 which represents 94.20 percent of the total classified vehicles. The number of Small Trucks in the study was 9 which represents 3.30 percent of the total classified vehicles. The number of Trucks/Busses in the study was 6 which represents 2.20 percent of the total classified vehicles. The number of Tractor Trailers in the study was 1 which represents 0.40 percent of the total classified vehicles.

HEADWAY

During the peak time period, on 05/03/2018 at 07:00 AM the average headway between the vehicles was 116.13 seconds. The slowest traffic period was on 05/03/2018 at 12:00 AM. During this slowest period, the average headway was 3600.0 seconds.

WEATHER

The roadway surface temperature over the period of the study varied between 64 and 103 degrees Fahrenheit. The HI-STAR determined that the roadway surface was Dry 95.83 percent of the time.

**NU-METRICS Traffic Analyzer Study
Computer Generated Summary Report
Route: BUCKSKIN EAST OF THE BEND
Location: BUCKSKIN EAST OF THE BEND**

A study of vehicle traffic was conducted with HI-STAR unit number 5573. The study was done in the EAST lane on BUCKSKIN EAST OF THE BEND in DELAWARE, OH in DEFIANCE county. The study began on 05/16/2018 at 11:00 AM and concluded on 05/17/2018 at 11:00 AM, lasting a total of 24 hours. Data was recorded in 60 minute time periods. The total recorded volume of traffic showed 295 vehicles passed through the location with a peak volume of 37 on 05/16/2018 at 04:00 PM and a minimum volume of 0 on 05/17/2018 at 01:00 AM. The AADT Count for this study was 295.

SPEED

Chart 1 lists the values of the speed bins and the total traffic volume for each bin.

Chart 1

< 10	10	15	20	25	30	35	40	45	50	55	60	65	70	> 75
0	0	1	0	0	1	10	11	37	64	112	46	10	3	0

Half of the vehicles were traveling at 55 Mph or a lower speed. The average speed for all classified vehicles was 52 Mph with 20.0 percent exceeding the posted speed of 55 Mph. The HI-STAR found 20.0 percent of the total vehicles were traveling in excess of 55 Mph. The mode speed for this traffic study was 55 Mph and the 85th percentile was 57.1 Mph.

CLASSIFICATION

Chart 2 lists the values of the eight classification bins and the total traffic volume accumulated for each bin.

Chart 2

< 21	21	28	40	50	60	70	> 80
264	12	8	6	1	0	4	0

Most of the vehicles classified during the study were Passenger Cars. The number of Passenger Cars in the study was 276 which represents 93.60 percent of the total classified vehicles. The number of Small Trucks in the study was 8 which represents 2.70 percent of the total classified vehicles. The number of Trucks/Busses in the study was 6 which represents 2.00 percent of the total classified vehicles. The number of Tractor Trailers in the study was 5 which represents 1.70 percent of the total classified vehicles.

HEADWAY

During the peak time period, on 05/16/2018 at 04:00 PM the average headway between the vehicles was 94.74 seconds. The slowest traffic period was on 05/17/2018 at 01:00 AM. During this slowest period, the average headway was 3600.0 seconds.

WEATHER

The roadway surface temperature over the period of the study varied between 58 and 113 degrees Fahrenheit. The HI-STAR determined that the roadway surface was Dry 100.00 percent of the time.

**NU-METRICS Traffic Analyzer Study
Computer Generated Summary Report
Route: BUCKSKIN EAST OF THE BEND
Location: BUCKSKIN EAST OF THE BEND**

A study of vehicle traffic was conducted with HI-STAR unit number 5390. The study was done in the WEST lane on BUCKSKIN EAST OF THE BEND in DELAWARE, OH in DEFIANCE county. The study began on 05/16/2018 at 11:00 AM and concluded on 05/17/2018 at 11:00 AM, lasting a total of 24 hours. Data was recorded in 60 minute time periods. The total recorded volume of traffic showed 275 vehicles passed through the location with a peak volume of 39 on 05/17/2018 at 07:00 AM and a minimum volume of 0 on 05/17/2018 at 03:00 AM. The AADT Count for this study was 275.

SPEED

Chart 1 lists the values of the speed bins and the total traffic volume for each bin.

Chart 1

< 10	10	15	20	25	30	35	40	45	50	55	60	65	70	> 75
0	1	0	2	4	6	5	8	24	39	73	63	34	8	7

Half of the vehicles were traveling at 55 Mph or a lower speed. The average speed for all classified vehicles was 55 Mph with 40.8 percent exceeding the posted speed of 55 Mph. The HI-STAR found 40.8 percent of the total vehicles were traveling in excess of 55 Mph. The mode speed for this traffic study was 55 Mph and the 85th percentile was 61.66 Mph.

CLASSIFICATION

Chart 2 lists the values of the eight classification bins and the total traffic volume accumulated for each bin.

Chart 2

< 21	21	28	40	50	60	70	> 80
246	12	9	5	2	0	0	0

Most of the vehicles classified during the study were Passenger Cars. The number of Passenger Cars in the study was 258 which represents 94.20 percent of the total classified vehicles. The number of Small Trucks in the study was 9 which represents 3.30 percent of the total classified vehicles. The number of Trucks/Busses in the study was 5 which represents 1.80 percent of the total classified vehicles. The number of Tractor Trailers in the study was 2 which represents 0.70 percent of the total classified vehicles.

HEADWAY

During the peak time period, on 05/17/2018 at 07:00 AM the average headway between the vehicles was 90.0 seconds. The slowest traffic period was on 05/17/2018 at 03:00 AM. During this slowest period, the average headway was 3600.0 seconds.

WEATHER

The roadway surface temperature over the period of the study varied between 58 and 113 degrees Fahrenheit. The HI-STAR determined that the roadway surface was Dry 100.00 percent of the time.

**NU-METRICS Traffic Analyzer Study
Computer Generated Summary Report
Route: POWERS EAST OF KROUSE
Location: POWERS EAST OF KROUSE**

A study of vehicle traffic was conducted with HI-STAR unit number 5573. The study was done in the EAST lane on POWERS EAST OF KROUSE in DEFIANCE, OH in DEFIANCE county. The study began on 05/01/2018 at 10:00 AM and concluded on 05/02/2018 at 10:00 AM, lasting a total of 24 hours. Data was recorded in 60 minute time periods. The total recorded volume of traffic showed 203 vehicles passed through the location with a peak volume of 20 on 05/01/2018 at 04:00 PM and a minimum volume of 0 on 05/02/2018 at 02:00 AM. The AADT Count for this study was 203.

SPEED

Chart 1 lists the values of the speed bins and the total traffic volume for each bin.

Chart 1

< 10	10	15	20	25	30	35	40	45	50	55	60	65	70	> 75
0	2	1	1	0	0	8	9	11	40	62	41	13	12	3

Half of the vehicles were traveling at 55 Mph or a lower speed. The average speed for all classified vehicles was 54 Mph with 33.9 percent exceeding the posted speed of 55 Mph. The HI-STAR found 33.9 percent of the total vehicles were traveling in excess of 55 Mph. The mode speed for this traffic study was 55 Mph and the 85th percentile was 60.2 Mph.

CLASSIFICATION

Chart 2 lists the values of the eight classification bins and the total traffic volume accumulated for each bin.

Chart 2

< 21	21	28	40	50	60	70	> 80
180	11	6	5	0	1	0	0

Most of the vehicles classified during the study were Passenger Cars. The number of Passenger Cars in the study was 191 which represents 94.10 percent of the total classified vehicles. The number of Small Trucks in the study was 6 which represents 3.00 percent of the total classified vehicles. The number of Trucks/Busses in the study was 5 which represents 2.50 percent of the total classified vehicles. The number of Tractor Trailers in the study was 1 which represents 0.50 percent of the total classified vehicles.

HEADWAY

During the peak time period, on 05/01/2018 at 04:00 PM the average headway between the vehicles was 171.43 seconds. The slowest traffic period was on 05/02/2018 at 02:00 AM. During this slowest period, the average headway was 3600.0 seconds.

WEATHER

The roadway surface temperature over the period of the study varied between 58 and 107 degrees Fahrenheit. The HI-STAR determined that the roadway surface was Dry 100.00 percent of the time.

**NU-METRICS Traffic Analyzer Study
Computer Generated Summary Report
Route: POWERS EAST OF KROUSE
Location: POWERS EAST OF KROUSE**

A study of vehicle traffic was conducted with HI-STAR unit number 4686. The study was done in the WEST lane on POWERS EAST OF KROUSE in DEFIANCE, OH in DEFIANCE county. The study began on 05/01/2018 at 10:00 AM and concluded on 05/02/2018 at 10:00 AM, lasting a total of 24 hours. Data was recorded in 60 minute time periods. The total recorded volume of traffic showed 214 vehicles passed through the location with a peak volume of 22 on 05/01/2018 at 03:00 PM and a minimum volume of 0 on 05/02/2018 at 01:00 AM. The AADT Count for this study was 214.

SPEED

Chart 1 lists the values of the speed bins and the total traffic volume for each bin.

Chart 1

< 0	0	15	20	25	30	35	40	45	50	55	60	65	70	> 75
0	2	1	1	0	0	8	9	11	40	62	41	13	12	3

Half of the vehicles were traveling at 0 Mph or a lower speed. The average speed for all classified vehicles was 0 Mph with 0.00 percent exceeding the posted speed of 55 Mph. The HI-STAR found 0 percent of the total vehicles were traveling in excess of 55 Mph. The mode speed for this traffic study was 0 Mph and the 85th percentile was 0.5 Mph.

CLASSIFICATION

Chart 2 lists the values of the eight classification bins and the total traffic volume accumulated for each bin.

Chart 2

< 0	0								
0	0	0	0	0	0	0	0	0	0

Most of the vehicles classified during the study were Passenger Cars. The number of Passenger Cars in the study was 0 which represents 0.00 percent of the total classified vehicles. The number of Small Trucks in the study was 0 which represents 0.00 percent of the total classified vehicles. The number of Trucks/Busses in the study was 0 which represents 0.00 percent of the total classified vehicles. The number of Tractor Trailers in the study was 0 which represents 0.00 percent of the total classified vehicles.

HEADWAY

During the peak time period, on 05/01/2018 at 03:00 PM the average headway between the vehicles was 156.52 seconds. The slowest traffic period was on 05/02/2018 at 01:00 AM. During this slowest period, the average headway was 3600.0 seconds.

WEATHER

The roadway surface temperature over the period of the study varied between 60 and 103 degrees Fahrenheit. The HI-STAR determined that the roadway surface was Dry 100.00 percent of the time.

District 5

Capital Improvement Project

Priority Rating Sheet, Round 33

Revised 06/18/18

COUNTY: Delaware		PROJECT NUMBER														
PROJECT: Powers, Farmer Mark and Buckskin Rd. Williams & Fawn																
EST. COST:																
No.	A WEIGHT FACTOR	CRITERIA TO BE CONSIDERED	B PRIORITY FACTORS					A x B	Priority Factors						No.	
			0	2	4	6	8		10	0	2	4	6	8		10
1	1	(Repair or Replace) vs. (New or Expansion)	0	2	4	6	8	10	10	0%+ Repair or Replacement	20%+ Repair or Replacement	40%+ Repair or Replacement	60%+ Repair or Replacement	80%+ Repair or Replacement	100%+ Repair or Replacement	1
2	1.5	Existing Physical Condition: Must submit substantiating documentation and CIR (100% New or Expansion = 0 Points)	0	2	4	6	8	10	9	Excellent	Good	Fair	Poor	Critical	Closed or Not Operating	2
3	2	Public Health and/or Public Safety Concerns Submittals without supporting documentation will receive 0 points for this question.	0	2	4	6	8	10	20	No Impact	Minimal	Moderate	Major	Critical	Extremely Critical	3
4	2	Percentage of Local Share (Local funds are funds derived from the applicant budget or a loan to be paid back through the applicant budget, assessments, rates or tax revenues)	0	2	4	6	8	10	20	0%+	10%+	20%+	30%+	40%+	50%+	4
5	1	OTHER FUNDING SOURCES (Excluding Issue B Funds) (Grants and other revenues not contributed or collected through taxes by the applicant, including GIFs, Contributions, etc. -- must submit copy of award or status letter)	0	2	4	6	8	10	0	0%+	10%+	20%+	30%+	40%+	50%+	5
No.	A WEIGHT FACTOR	CRITERIA TO BE CONSIDERED	B PRIORITY FACTORS					A x B	Priority Factors						No.	
			0	2	4	6	8		10	0	2	4	6	8		10
6	2	OPWC Grant and Loan Funding Requested; Please refer to Item 6 on Questionnaire for Clarification.	-9	-8	0	8	9	10	16	Grant or Loan Only \$500,001	\$400,001 to	\$325,001	\$275,001	\$175,001	\$175,000	6
	2									or more Grant/Loan Combination \$750,000	\$500,000	\$400,000	\$325,000	\$275,000	or less	6
			-9	-8	0	8	9	10		or more \$750,000	\$600,000 to	\$487,501 to	\$412,501 to	\$262,501 to	\$262,500	6
										or more \$750,000	\$600,000	\$487,500	\$412,500	or less		
When scoring a project that is only grant or only loan. Please use the chart labeled "Grant or Loan Only". When scoring a grant/loan combination, score the project for the grant in the first chart, then use the second chart labeled "Grant/Loan Combination" to score the total (grant and loan combined). Use the lower of the two as the score.																
No.	A WEIGHT FACTOR	CRITERIA TO BE CONSIDERED	B PRIORITY FACTORS					A x B	Priority Factors						No.	
			0	2	4	6	8		10	0	2	4	6	8		10
7	1	Will the Proposed Project Create Permanent jobs or retain jobs that would otherwise be permanently lost (Written Documentation Required)	0	2	4	6	8	10	0	0+ jobs	7+ jobs	15+ jobs	25+ jobs	50+ jobs	100+ jobs	8
8	1	Benefits to Existing Users such as households, (Equivalent dwelling units), traffic counts, etc.	0	2	4	6	8	10	10	0+	100+	350+	500+	750+	1000+	9
9		SUBTOTAL RANKING POINTS (MAX = 115)							85	Other Info: Does this project have a significant impact on productive farmland? YES NO Attach impact statement if yes. Is the Applicant ready to proceed to bids after State Approval within 6 months? YES NO						
10		COUNTY PRIORITY POINTS (25-20-15)														
11		DISCRETIONARY POINTS (BY DISTRICT ONLY) (MAX = 12)														
12		GRAND TOTAL RANKING POINTS														

Ohio Public Works Commission
SUMMARY FORM

REQUIRED

Submit to Commission/Update Annually

Defiance County Code 039-00039 Defiance County 8/24/2018 Date

Infrastructure Component	Replacement Cost	Repair Cost	Total Units	Units/Physical Condition					
				Excellent	Good	Fair	Poor	Critical	Unknown
Roads	9,733,596	12,164,267	Center Line Miles 325.00	114.00	101.00	95.00	15.00		
Bridges	115,211,282	21,639,524	Number of Bridges 230	191	17	14	7	1	
Culverts	12,213,734	2,930,280	Number of Culverts 3,320	268	2,435	553	58	6	
Water Supply Systems			Number of Facilities 0						
Water Distribution	225,936	72,628	Linear Feet (Thousands) 32.80	27.00	5.80				
Wastewater Systems	3,162,708	160,797	Number of Facilities 4	1	2	1			
Wastewater Collection	6,066,278	600,271	Linear Feet (Thousands) 106.00	40.00	19.00	47.00			
Stormwater Collection	723,600	0	Linear Feet (Thousands) 11.70	11.70					
Solid Waste Disposal	412,201	13,528,987	Capacity (Tons per day) 750	750					
Totals	147,749,335	51,096,754							

Subdivision Socio-Economic Characteristics

Current	2010 Census Information		
	Population	39,037	Population Total
Total Households	16,647	Households	16,647
% Unemployment	5%	MHI	\$50,882
		% LMI	19.20%
		% Poverty	10.40%
		% Unemploy	4.80%

Preparer's Name, Phone Number, email : Bridgette Miller, 419.782.4751, dcestaff@defiance-county.com

Ohio Public Works Commission
Five Year Capital Improvement Plan/Maintenance of Effort
REQUIRED
Submit to Commission/Update Annually

Defiance County _____ Date 8/24/18
 Subdivision _____ Code 039-000039

Project Name/Description	Funding Codes(s)	Status (A) Active (P) Pending (C) Complete	Total Cost	Two Year Effort		Five Year Plan						
				Yr 2017	Yr 2018	Yr 2019	Yr 2020	Yr 2021	Yr 2022	Yr 2023		
2017 Bridge Replacement Program	C	C	800,000	800,000								
2017 Resurfacing Program	C	C	950,000	950,000								
2017 Pavement Marking Program	C	C	90,000	90,000								
2018 Pavement Marking Program	LF	A	100,000		100,000							
2018 Resurfacing Program	LF & OPWC	A	800,000		800,000							
2018 Bridge Replacement Program	LF	A	850,000		850,000							
2019 Pavement Marking Program	LF	P	85,000			85,000						
2019 Resurfacing Program	LF & OPWC	P	850,000			850,000						
2019 Bridge Replacement Program	LF	P	800,000			800,000						
2020 Resurfacing Program	LF & OPWC	P	950,000				950,000					
2020 Bridge Replacement Program	LF	P	975,000				975,000					
2020 Pavement Marking Program	LF	P	975,000				975,000					
2021 Resurfacing Program	LF & OPWC	P	975,000					975,000				
2021 Bridge Replacement Program	LF	P	975,000					975,000				
2021 Pavement Marking Program	LF	P	125,000						125,000			
2022 Resurfacing Program	LF & OPWC	P	975,000							975,000		
2022 Bridge Replacement Program	LF	P	975,000							975,000		
2022 Pavement Marking Program	LF	P	125,000								125,000	

Ohio Public Works Commission
Five Year Capital Improvement Plan/Maintenance of Effort

REQUIRED

Submit to Commission/Update Annually

Defiance County

Subdivision

039-00039

Code

8/24/18

Date

Project Name/Description	Funding Codes(s)	Status (A) Active (P) Pending (C) Complete	Total Cost	Two Year Effort		Five Year Plan						
				Yr 2017	Yr 2018	Yr 2019	Yr 2020	Yr 2021	Yr 2022	Yr 2023		
				<i>Funded</i>		<i>Planned</i>						
2023 Pavement Marking Program	LF & LPA	P	125,000									125,000
2023 Bridge Replacement Program	LF	P	975,000									975,000
2023 Resurfacing Program	LF & OPWC	P	975,000									975,000
Landfill Methane Gas Collection	LF	P	20,000	20,000								
Landfill Final Cover	LF	A	350,000	50,000	50,000	50,000	50,000	50,000	50,000			
Landfill Expansion	LF	A	6,750,000	100,000	50,000	50,000	50,000	50,000	50,000			
Landfill Monitoring Well Expansion	LF	A	300,000	50,000	50,000	50,000	50,000	50,000	50,000			