

Equal Opportunity • Affirmative Action Employer

September 10, 2021

Ms. Carrie Whitaker, P.E. Erie County Regional Planning Commission Metropolitan Planning Organization 2900 Columbus Avenue Sandusky, Ohio 44870

Re: Liberty Avenue 12" Watermain Replacement, Phase 4

City of Vermilion, Ohio

Dear Ms. Whitaker:

On behalf of the City of Vermilion, we respectfully submit this year's Ohio Public Works Commission Round 36 SCIP Application to you for the above referenced project. The application was prepared according to our understanding of the project.

If we can be of further assistance in this matter, please contact me.

Respectfully,

BRAMHALL ENGINEERING AND SURVEYING COMPANY

City of Vermilion Consulting Engineers

Christopher L. Howard, P.E., CPESC

City Engineer

Cc: Mayor Jim Forthofer

Tony Valerius, Director of Public Services



State of Ohio **Public Works Commission**

Application for Financial Assistance

IMPORTANT: Please consult "Instructions for Financial Assistance for Capital Infrastructure Projects" for guidance in completion of this form. Subdivision Code: 043-79716 Applicant: City of Vermilion Applicant Date: 09/10/2021 District Number: 5 County: Lorain Phone: (440) 204-2424 Contact: Anthony Valerius

(The individual who will be available during business hours and who can best answer or coordinate the response to questions) (440) 204-2411 FAX: Email: tonyvalerius@vermilion.net Zip Code: __ Project Name: Liberty Avenue 12" Watermain Replacement, Phase 4 **Funding Request Summary Project Type** Subdivision Type (Automatically populates from page 2) (Select single largest component by \$) (Select one) 824,122 .00 **Total Project Cost:** 1. Road 1. County 325,000 .00 2. Bridge/Culvert 1. Grant: 2. City 0.00 2. Loan: 3. Water Supply 3. Township 0.00 3. Loan Assistance/ 4. Wastewater 4. Village Credit Enhancement: 5. Solid Waste 5. Water (6119 Water District) 325,000 .00 Funding Requested: 6. Stormwater District Recommendation (To be completed by the District Committee) Funding Type Requested SCIP Loan - Rate: _____ % Term: ____ Yrs Amount: ______.00 (Select one) Amount: ______.00 RLP Loan - Rate: ____ % Term: ___ Yrs State Capital Improvement Program Local Transportation Improvement Program Amount: ______.00 Grant: Revolving Loan Program LTIP: Small Government Program Loan Assistance / Credit Enhancement: District SG Priority: __ For OPWC Use Only **STATUS** Loan Type: SCIP Grant Amount: ______.00 .00 Date Construction End: __ Loan Amount: __ Project Number: ____ Date Maturity: .00 Total Funding: ___ _____% Local Participation: ____ Rate: Release Date: Term: __ Yrs

OPWC Participation: ___

OPWC Approval: ___

1.0 Project Financial Information (All Costs Rounded to Nearest Dollar)

1.1 Project Estimated Costs

Engineering Services					
Preliminary Design:	00. 0				
Final Design:	63,317 .00				
Construction Administration:	63,317 .00				
Total Engineering Services:		a.)	126,634	.00	20 %
Right of Way:		b.)	0	.00	
Construction:		c.)	633,171	.00	
Materials Purchased Directly:		d.)		.00	
Permits, Advertising, Legal:		e.)	1,000	.00	
Construction Contingencies:		f.)	63,317	.00	10_%
Total Estimated Costs:		g.)	824,122	.00	
1.2 Project Financial Resource	es				
Local Resources					
Local In-Kind or Force Account:		a.)		.00	
Local Revenues:		b.)	499,122	.00	
Other Public Revenues:		c.)		.00	
ODOT / FHWA PID:		d.)		.00	
USDA Rural Development	t:	e.)		.00	
OEPA / OWDA:		f.)	·	.00	
CDBG: County Entitlement or Com Department of Developme		g.)		.00	
Other:		h.)		.00	
Subtotal Local Resources:		i.)	499,122	00	61_ %
OPWC Funds (Check all requested a	and enter Amount)				
Grant:100 % of OPWC	Funds	j.)	325,000	.00	
Loan:0 % of OPWC	Funds	k.)		00	
Loan Assistance / Credit Enha	ancement:	l.)	0	.00	
Subtotal OPWC Funds:		m.)	325,000	.00	39_ %
Total Financial Resources:		n.)	824,122	2 .00	100 %

1.3 Availability of Local Funds

Attach a statement signed by the <u>Chief Financial Officer</u> listed in section 5.2 certifying <u>all local resources</u> required for the project will be available on or before the earliest date listed in the Project Schedule section. The OPWC Agreement will not be released until the local resources are certified. Failure to meet local share may result in termination of the project. Applicant needs to provide written confirmation for funds coming from other funding sources.

2.0 Repair / Replacement or New / Expa	ansion								
2.1 Total Portion of Project Repair / Replace	ment:	824,	<u>122</u> .00 _	100	% A Farmland Preservation letter				
2.2 Total Portion of Project New / Expansion	n:		<u> </u>	0	% is required for any impact to farmland				
2.3 Total Project:	-	824,	2 End Date: 11/11/2022 2 End Date: 12/15/2022 3 End Date: 05/26/2023 3 End Date: 05/26/2023 4 and issuance of Notice to Proceed. 4 ent for approved projects. 5 of record and approved by the 8 section. 6 or year of last major improvement) 6 mp and signature confirming the 6 cted ADT Year 6 sehold; attach current ordinances.	%					
3.0 Project Schedule									
3.1 Engineering / Design / Right of Way	Begin Date:	07/05/2022	End Date:	11/	11/2022				
3.2 Bid Advertisement and Award	Begin Date:	11/17/2022	End Date:	12/	15/2022				
3.3 Construction	Begin Date:	01/09/2023	End Date:	05/2	26/2023				
Construction cannot begin prior to release of executed Project Agreement and issuance of Notice to Proce Failure to meet project schedule may result in termination of agreement for approved projects.									
Modification of dates must be requested in Commission once the Project Agreement to 4.0 Project Information			ecora arra a _l	opiov	ed by the				
If the project is multi-jurisdictional, information n	nust be conso	idated in this se	ction.						
4.1 Useful Life / Cost Estimate / Age									
Project Useful Life: <u>25</u> Years Age: Attach Registered Professional Engineer's project's useful life indicated above and det	statement, wit	h seal or stamp a							
4.2 User Information									
Road or Bridge: Current ADT	Year	Projected	IADT	Ye	ear				
Water / Wastewater: Based on monthly usag	ge of 4,500 gal	lons per househ	old; attach cu	rrent	ordinances.				
Residential Water Rate	Current	\$45.00	Proposed \$	·	·				
Number of households served:174									
Residential Wastewater Rate	Current	\$	Proposed \$	S					
Number of households served:	-								

Stormwater: Number of households served: _

4.3 Project Description

A: SPECIFIC LOCATION (Supply a written location description that includes the project termini; a map does not replace this requirement.) 500 character limit.

The Project is located in the City of Vermilion, County of Lorain, along Liberty Avenue. The project will begin at Overlook Road (West Terminus) and continue east to Woodside Avenue (East Terminus).

B: PROJECT COMPONENTS (Describe the specific work to be completed; the engineer's estimate does not replace this requirement) 1,000 character limit.

Liberty Avenue is currently being serviced by a 65-year old 12" watermain on the south side for approximately 2,900 LF. The City of Vermilion intends to replace this watermain. The existing line will be abandoned in place and any water services will be reconnected to the new main. The watermain will be approximately 2,900 LF of 12" C909, as well as 3 bores under Liberty Avenue that will include an additional 300' of 8" C909 for connection to side streets. All driveway and roadway pavement will be replaced in kind and all disturbed tree lawns will be re-graded and seeded.

C: PHYSICAL DIMENSIONS (Describe the physical dimensions of the existing facility and the proposed facility. Include length, width, quantity and sizes, mgd capacity, etc in detail.) 500 character limit.

The project will include abandoning 2,900 LF of existing 12" waterline; installation of 2,900 LF of 12" C909 watermain; the removal of 5 line valves and 4 hydrant assemblies, which will be replaced by 9 Hydrants and 9 line valves; and 300' LF of 8" watermain which will be bored under Liberty Avenue. The project will also include restoration of 2,600 SY of grass areas/treelawns, 586 SY of asphalt and concrete pavement, and 35 SY of sidewalk replacement.

5.0 Project Officials

Changes in Project Officials must be submitted in writing from an officer of record.

5.1 Chief Executive Officer	(Person au	thorized in legislation to sign project agreements)
	Name:	Jim Forthofer
	Title:	Mayor
	Address:	5511 Liberty Avenue
	City:	Vermilion State: OH Zip: 44089
	Phone:	(440) 204-2402
	FAX:	(440) 204-2411
	E-Mail:	JimForthofer@vermilion.net
5.2 Chief Financial Officer	(Can not a	also serve as CEO)
	Name:	Amy L. Hendricks
	Title:	Director of Finance
	Address:	5511 Liberty Avenue
	City:	Vermilion State; OH Zip: 44089
	Phone:	(440) 204-2425
	FAX:	(440) 204-2423
	E-Mail:	amyhendricks@vermilion.net
5.3 Project Manager		
	Name:	Anthony Valerius
	Title:	Director of Public Service
	Address:	5511 Liberty Avenue
	City:	Vermilion State: OH Zip: 44089
	Phone:	(440) 204-2424
	FAX:	(440) 204-2411
	E-Mail:	tonyvalerius@vermilion.net

6.0 Attachments / Completeness review

Confirm in the boxes below that each item listed is attached (Check each box) A certified copy of the legislation by the governing body of the applicant authorizing a designated ✓ official to sign and submit this application and execute contracts. This individual should sign under 7.0, Applicant Certification, below. A certification signed by the applicant's chief financial officer stating the amount of <u>all local share</u> **/** funds required for the project will be available on or before the dates listed in the Project Schedule section. If the application involves a request for loan (RLP or SCIP), a certification signed by the CFO which identifies a specific revenue source for repaying the loan also must be attached. Both certifications can be accomplished in the same letter. A registered professional engineer's detailed cost estimate and useful life statement, as required in 164-1-13, 164-1-14, and 164-1-16 of the Ohio Administrative Code. Estimates shall contain an engineer's seal or stamp and signature. A cooperative agreement (if the project involves more than one subdivision or district) which identifies the fiscal and administrative responsibilities of each participant. Farmland Preservation Review - The Governor's Executive Order 98-IIV, "Ohio Farmland Protection Policy" requires the Commission to establish guidelines on how it will take protection of productive agricultural and grazing land into account in its funding decision making process. Please include a Farm Land Preservation statement for projects that have an impact on farmland. Capital Improvements Report. CIR Required by O.R.C. Chapter 164.06 on standard form. Supporting Documentation: Materials such as additional project description, photographs, economic 1 impact (temporary and/or full time jobs likely to be created as a result of the project), accident reports, impact on school zones, and other information to assist your district committee in ranking

7.0 Applicant Certification

Integrating Committee.

The undersigned certifies: (1) he/she is legally authorized to request and accept financial assistance from the Ohio Public Works Commission as identified in the attached legislation; (2) to the best of his/her knowledge and belief, all representations that are part of this application are true and correct; (3) all official documents and commitments of the applicant that are part of this application have been duly authorized by the governing body of the applicant; and, (4) should the requested financial assistance be provided, that in the execution of this project, the applicant will comply with all assurances required by Ohio Law, including those involving Buy Ohio and prevailing wages.

your project. Be sure to include supplements which may be required by your local District Public Works

Applicant certifies that physical construction on the project as defined in the application has NOT begun, and will not begin until a Project Agreement for this project has been executed with the Ohio Public Works Commission. Action to the contrary will result in termination of the agreement and withdrawal of Ohio Public Works Commission funding from the project.

	ofer, Ma	(Printed form, Ty	no or Print N	me and Title
Certifying Re	presentative	(Friilled Iorill, Ty	pe of Fillicity	ine and mi
(/	how	The state of the s	9.2	12/

Liberty Avenue 12" Watermain Replacement, Phase 4 City of Vermilion, Ohio Index of Attachments

Authorizing Legislation

Chief Financial Officer's Certification of Local Funds

Detailed Cost Estimate/Useful Life Statement

Project Location Map

Project Schematic

Project Narrative

Ohio EPA Letter Regarding Partial Resolution of Violation

City of Vermilion 10-Year Watermain Replacement Program

District 5 Capital Improvement Projects Questionnaire Round 36

7055 aroi

Ordinance No. ___2021R-12_

Passed_

82 2021

A RESOLUTION AUTHORIZING THE MAYOR TO PREPARE AND SUBMIT AN APPLICATION TO PARTICIPATE IN THE OHIO PUBLIC WORKS COMMISSION STATE CAPITAL IMPROVEMENT PROGRAM AND/OR LOCAL TRANSPORTATION IMPROVEMENT PROGRAM(S) AND TO EXECUTE CONTRACTS AS REQUIRED.

WHEREAS, the City of Vermilion of Lorain and Erie County, Ohio met this 2nd day of August 2021, in regular session with the following members present:

Emily Skahen, Ward One Frank Loucka, Ward Two Steve Holovacs, Ward Three Barb Brady, Ward Four Brian Holmes, Ward Five Monica Stark, Council at Large Steve Herron, Council President

WHEREAS, the State Capital Improvement Program and the Local Transportation Improvement Program both provide financial assistance to political subdivisions for capital improvements to public infrastructure; and

WHEREAS, the City of Vermilion is planning to make capital improvements to the Liberty Avenuc Waterline Replacement, Phase 4 Project and

WHEREAS, the infrastructure improvement herein above described is considered to be a priority need for the community and is a qualified project under the OPWC programs,

BE IT RESOLVED by the Council of the City of Vermilion, Counties of Erie and Lorain, State of Ohio:

<u>SECTION 1:</u> That the Mayor of the City of Vermilion, Ohio is hereby authorized to apply to the OPWC for funds as described above; and

SECTION 2: That the Mayor is further authorized to enter into any agreements as may be necessary and appropriate for obtaining this financial assistance; and

THAT, this City of Vermilion hereby finds and determines that all formal actions relative to the adoption of this Resolution were taken in an open meeting of this Board; and that all deliberations of this Board and of its committees, if any, which resulted in formal action, were taken in meetings open to the public, in full compliance with applicable legal requirements, including Section 121.22 of the Revised Code.

WHEREFORE, this Resolution is hereby declared to be an emergency measure necessary for the immediate preservation of the public peace, health, safety, and welfare for the further reason that the City needs to apply and pursue all grants available; wherefore this Resolution shall be in full force and effect from and immediately after its passage and approval by the Mayor.

PASSED: $\frac{\delta/2}{2}$, 2021

APPROVED: 8.5-,202

Steve Herron, President of Council

Gwen Fisher, Clerk of Council

Jim Forthofer, Mayor

Mf. Steve Holovaes introduced the following Resolution and moved its adoption:
Mf. Drian Holmes seconded the motion for the adoption of said Resolution; and the roll call being called upon its adoption, the voted resulted as follows:
Roll Cali: Tyear Adopted: 2/2/2-21

This document prepared to as FORM: Gwen Fisher, Certified Municipal Clerk - 7/21/2021

THE CITY OF VERMILION



CHIEF FINANCIAL OFFICER'S CERTIFICATION OF LOCAL FUNDS / LOAN REPAYMENT LETTER

September 9, 2021

I, Amy Hendricks, Finance Director of the City of Vermilion, hereby certify that the City of Vermilion has the amount of \$499,122 in the Water Fund (601) and that this amount will be used to pay the local share for the Liberty Avenue 12" Watermain Replacement, Phase 4 Project when it is required.

Amy L. Hendricks Finance Director

City of Vermilion, Ohio 5511 Liberty Avenue

Vermilion, Ohio 44089 Phone: (440) 204-2425

Fax: (440) 204-2423

E-mail: amyhendricks@vermilion.net

CIBER CITY 0 DETAIL	LIBERTY AVENUE 12' CITY OF VERMILION DETAILED COST ESTI	LIBERTY AVENUE 12" WATERMAIN REPLACEMENT, PHASE 4 (OVERLOOK ROAD TO WOODSIDE AVENUE) CITY OF VERMILION DETAILED COST ESTIMATE/USEFUL LIFE STATEMENT	DE AVENUE)			August 31, 2021
LINE	ODOT	ITEM DESCRIPTION	ESTIMATED	UNIT	TOTAL UNIT COST	TOTAL
WATTER	ZLINE R	WATERLING REPLACEMENT				
	202/638	EXISTING WATERMAIN ABANDONED IN PLACE AND CAPPED WITH BULKHEADS AT ALL CLT ENDS (BEGINNING AT OVERLOOK ROAD AND ENDING AT WOODSIDE AVENUE)	00.1	LUMP	\$ 5,000.00	5,000.00
- 2	202/638	HYDRANT ASSEMBLY AND VALVE REMOVED AND DELIVERED TO CITY	3.00	EACH	\$ 00:059 \$	1,950.00
ю.	202/638	EXISTING WATER VALVE ASSEMBLY REMOVED	6.00	EACH	\$ 325.00 \$	1,950.00
4	638	12" C999 WATERLINE, INCLUDING EXCAVATION, OFFSITE DISPOSAL, BEDDING, FREMIUM BACKFILL, TRACER WIRE, DETECTABLE TAPE AND ALL BENDS	2900.00	L.F.	\$ 00.00	261,000.00
. &	638	8° C909 WATERLINE, INCLUDING EXCAVATION, ÔFESITE DISPOSAL, BEDDING, PREMIUM BACKFILL, TRACER WIRE, DETECTABLE TAPE, NEAT SAWCUT THROUGH PAVEMENT AND	80.00	L.F.	\$ 00'58 \$	6,800.00
•	869	S" C-909 WATERLINE BORED - 3 LOCATTONS (INCL. EXCAVATION, BEDDING, PREMIUM BACKFILL, BENDS & FITTINGS, BORING FITS AND COUFLING CONNECTIONS).	300.00	LP.	\$ 275.00	82,500,00
۲	838	6" C909 WATERLINE, INCLUDING EXCAVATION, OFFSITE DISPOSAL, BEDDING, PREMIUM BACKFILL, TRACER WIRE, DETECTABLE TAPE, NEAT SAWCUT THROUGH PAYEMENT AND	20.00	L.F.	\$ 00.08	4,000.00
œ	638	4" C909 WATERLINE, INCLUDING EXCAVATION, OFFSITE DISPOSAL, BEDDING, PREMIUM BACKFILL, TRACER WIRE, DETECTABLE TAPE, NEAT SAWCUT THROUGH PAVEMENT AND	50.00	C.F.	\$ 70.00 \$	3,500.00
٥	638	HYDRANT ASSEMBLY, INCLUDING TEE AND 6" HYDRANT VALVE, COMPLETE IN PLACE	9.00	EACH	\$ 6,000.00 \$	54,000.00
10	638	112" LINE VALVE AND VALVE BOX COMPLETE IN PLACE	9.00	EACH	\$ 2,500.00 \$	22,500,00
Ξ	638	8" LINE VALVE AND VALVE BOX COMPLETE IN PLACE	2.00	EACH	\$ 2,000.00 \$	4,000.00
12	638	R'X6" REDUCER, COMPLETE IN PLACE	4.00	BACH	\$ 750.00 \$	3,000,00
13	638	8"X4" REDUCER, COMPLETE IN PLACE	2.00	EACH	\$ 750.00 \$	00'005'1
72	638	12"X8" REDUCER, COMPLETE IN PLACE	1.00	EACH	\$ 1,000.00 \$	1,000.00
15	889	12"X12"X8" TEE, COMPLETE IN PLACE	8.00	EACH	\$ 1,000.00 \$	8,000.00
16	638	WATER LATERAL RECONNECTION, (INCLUDING CURB BOXES AND RECONNECTION TO WATERMAIN)	23.00	EACH	\$ 2,500.00 \$	57,500.00
17	638	HYDROSTATIC TESTING	3330.00	I.F.	\$ 1.00 \$	3,336.00
			WATE	RLINE REPL	WATERLINE REPLACEMENT TOTAL S	\$21,530.00
PAVEN	TENT RE	AVEMENT RESTORATION (LIBERTY AVENUE)				
18	202	PAYEMENT REMOVAL, INCL NEAT SAWCUT AND OFFSITE DISPOSAL (7-5" AVERAGE ASSUMED)	168.00	S.Y.	\$ 05.7 \$	1,260,00
6	202	CURB REMOVAL, INCL NEAT SAWCUT AND OFFSITE DISPOSAL	20.00	LF.	\$ 10.00 \$	200.00
92	204	SUBGRADE COMPACTION	168.00	S.Y.	\$ 00'1 \$	168.00
21	301	ASPHALT CONCRETE BASE, PG64-22, T** 10" AVERAGE	34.00	C.Y.	\$ 300.00	10,200,00
22	305	LIMESTONE AGGREGATE BASE, T~8" AVERAGE, AS NEEDED FOR AGGREGATE BASE RESTORATION	4.00	C.Y.	\$ 45.00 \$	180.00
23	452	NON-REDIFORCED CONCRETE PAVEMENT, CLASS OCMS, T-«"(MODERATE SET)	44.00	S.Y.	\$ 55.00 \$	2,420.00
24	407	TACK COAT, TRACKLESS TACK (.06GAL/SQ.YD.AVERAGB)(2 APPLICATIONS)	15.00	GAL	\$ 00'9	00'06
25	441	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (448), PG64-22, T=1-3/4"	6.00	C.Y.	\$ 350.00	2,100,00
56	14	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448) PC64-22, T=1-1/4"	4.00	C.Y.	\$ 375.00	1,500.00
			PAV	EMENT RES	PAVEMENT RESTORATION TOTAL S	18,118.00

LIBERTY AVENUE 12 CITY OF VERMILION DETAILED COST EST	Y AVEN VERM ED COS	LIBERTY AVENUE 11" WATERMAIN REPLACEMENT, PHASE 4 (OVERLOOK ROAD TO WOODSIDE AVENUE) CITY OF VERMILION DETAILED COST ESTIMATEUSEFUL LIFE STATEMENT	IDE AVENUE)				August 31, 2021
LINE	ODOT ITEM	ITEM DESCRIPTION	ESTEMATED	UNIT	TOTAL UNIT COST		TOTAL
ASPHAL	T DRIV	ASPHALT DRIVE RESTORATION					
27	202	PAVEMENT REMOVAL, T=VARIES	292.00	S.Y.	\$	7.50 \$	2,190.00
28	204	SUBGRADE COMPACTION	292.00	S.Y.		1.00 \$	292.00
29	304	LIMESTONE AGGREGATE BASE, T=8" AVERAGE, AS NEEDED FOR AGGREGATE BASE RESTORATION	28.00	C.Y.	\$ 45	45.00 \$	1,260.00
30	301	ASPHALT CONCRETE BASE, PG 64-22, T=3"	24.00	C.Y.	\$ 300	300,008	7,200.00
31	407	TACK COAT, TRACKLESS TACK (06GAL/SQ.YD AVERAGE)	35.00	GAL	•	\$ 00.9	210.00
32	2	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (448), PG64-22, T=1-3/4"	14.00	C.Y.	350	350.00 \$	4,900.00
33	144	ASPHALT CONCRETE SURFACE COURSE, TYPE 1 PG64-22, T=1 1/4"	10.00	۲,	\$ 450	450,00 \$	4,500.00
			ASPHALT	DRIVE REST	ASPHALT DRIVE RESTORATION TOTAL	AL \$	20,552.00
CONCR	ETE DR	CONCRETE DRIVE RESTORATION					
34	202	PAVEMENT REMOVAL, T-VARIES	86.00	S.Y.	٤	7.50 \$	420.00
35	ğ	SUBGRADE COMPACTION	96.00	S.Y.	(\$	1.00	96.00
36	304	LIMESTONE AGGREGATE BASE, T~6" AVERAGE, AS NEEDED FOR AGGREGATE BASE RESTORATION	28.00	CY.	\$ 45	45.00 \$	1,260,00
37	452	NON-REINFORCED CONCRETE PAVEMENT, CLASS QC MS, T=6"(MODERATE SET)	56.00	S,Y,	\$ 55	\$ 00.55	3,080.00
			CONCRETE	DRIVE RES	CONCRETE DRIVE RESTORATION TOTAL	\$ TV.	4,816.00
GRAVEI	LDRIV	GRAVEL DRIVE RESTORATION					
38	204	SUBGRADE COMPACTION	70,00	S.Y.	\$	1.00 \$	70.00
39	304	LIMESTONE AGGREGATE BASE, T=6" AVERAGE, AS NEEDED FOR AGGREGATE BASE RESTORATION	16.00	C.Y.	\$ 45	45.00 \$	720.00
			GRAVEL	DRIVE RES	GRAVEL DRIVE RESTORATION TOTAL	YT \$	790.00
SIDEWA	ILK RE	SIDEWALK RESTORATION					
9	202	WALK REMOVAL, T=4" AVG.	312.00	S.F.	\$	2.00 \$	624.00
.4	204	SUBGRADE COMPACTION	35.00	S.Y.	S	1.00	35.00
42	304	LIMESTONE AGGREGATE BASE, T-4"	28.00	CY.	\$ 45	45.00 \$	1,260.00
43	809	CONCRETE WALK, MS (T~4")	312.00	S.F.	8	8.00 S	2,496.00
4	808	ADA RAMPS, COMPLETE IN PLACE	1.00	ß	\$ 1,000.00	\$ 00.0	00'000'1
			Idis	WALK RES	SIDEWALK RESTORATION TOTAL \$	'AL S	5,415.00


LIBERT CITY O	LIBERTY AVENUE 12' CITY OF VERMILION DETAILED COST EST	LIBERTY AVENUE 12" WATERMAIN REPLACEMENT, PHASE 4 (OVERLOOK ROAD TO WOODSIDE AVENUE) CITY OF VERMILION DETAILED COST ESTIMATE/USEFUL LIFE STATEMENT	IDE AVENUE)			August 31, 2021
LINE	ODOT	TTEM DESCRIPTION	ESTIMATED	TIND	TOTAL UNIT COST	TOTAL
MISCE						
45	623	CONSTRUCTION LAYOUT STAKES AND SURVEYING	1.00	LUMP	\$ 5,000.00	\$ 5,000.00
94	624	MOBILIZATION	1.00	LUMP	\$ 20,000.00 \$	\$ 20,000.00
47	SPEC	REMOVAL OF MAILBOX AND REERECTION	7.00	EA.	\$ 350.00 \$	\$ 2,450.00
87	614	MAINTENANCE OF TRAFFIC	1.00	LUMP	\$ 15,000.00	\$ 15,000.00
67		RESTORATION (INCL. TOPSOIL, SEEDING AND MULCHING)	2,600.00	S.Y.	\$ 7.50 \$	\$ 19,500.00
				MISCE	MISCELLANEOUS TOTAL S	\$ 61,950.00
		LIBERTY AVENUE WATERMAIN REPLACEMENT. PHASE 4 SUBTOTAL S	RMAIN REPLA	CEMENT, PI	HASE 4 SUBTOTAL	\$ 633.171.00
		10% CONTINGENCY (TO BE USED AS AUTHORIZED BY THE CITY OF VERMILLON) S	AUTHORIZED	BY THE CIT	Y OF VERMILION)	\$ 63,317.10
		LIBERTY AVENUE WATERMAIN REPLACEMENT. PHASE 4 GRAND TOTAL S	AIN REPLACEM	IENT, PHASI	E 4 GRAND TOTAL	\$ 696,488.10


THE ESTIMATED USEFUL LIFE OF THE LIBERTY AVENUE 12" WATERMAIN REPLACEMENT, PHASE 4 PROJECT IS 25 YEARS





Liberty Avenue 12" Watermain Replacement, Phase 4 Project Location Map Vermilion, Ohio





Liberty Avenue 12" Watermain Replacement, Phase 4

Project Narrative

The project limits of the Liberty Avenue 12" Watermain Replacement, Phase 4 project begins at Overlook Road and terminates at Woodside Avenue. The project is located entirely in Lorain County. This project will replace a 65-year old water line on the south side of Liberty Avenue for approximately 2,900 feet. Since 2003, the City has had to repair nine (9) breaks on this 12" watermain within these project limits.

The City of Vermilion has been ordered by the Ohio EPA to resolve pressure problems in the distribution system to allow the City to increase the volume of water stored in the elevated water tower (see attached letter dated July 11, 2019, Item 4 of Outstanding Significant Deficiencies).

In response to the OEPA, the City of Vermilion had a Water Distribution System Steady State Analysis performed. The Steady State Analysis showed that the existing Highbridge Road water tower could be filled to its maximum storage height with acceptable pressure increases in the City system. However, the reality is that without replacing some of the watermains in the system the additional pressure increases would cause water main breaks within the system.

In addition to the Steady State Analysis, the City was required to provide a proposed 10-year Watermain Replacement Program and Schedule (see attached). As shown in the 10-year Water Main Replacement Program, the Liberty Avenue watermain from Overlook Road to Woodside Avenue is on the priority list for 2024. The number of households directly served by this watermain replacement consists of approximately 19 commercial businesses and 155 residential dwellings.

The proposed project will include the abandoning in place of the existing 12" waterline along Liberty Avenue and installing a new 12" C909 waterline along the south side Overlook Road to Woodside Avenue. It also includes 3 bores under Liberty Avenue.

This project will have no impact to farmland.



July 11, 2019

Re: Vermilion City

Notice of Violation (NOV) Related Correspondence

Drinking Water Erie County

PWS ID: OH2201511

Mr. Anthony Valerius Vermilion City 5511 Liberty Avenue Vermilion, Ohio 44089

Sublect:

Partial Resolution of Violation - Facility ID#2253917, COMM

Dear Mr. Valerius:

Thank you for your May 24, 2019, May 31, 2019, and June 24, 2019, responses to Ohio EPA's January 17, 2019, Notice of Violation (NOV) letter regarding the sanitary survey conducted on December 5 and 6, 2018. I have reviewed this documentation and determined that Vermillon has adequately resolved the following violations discovered during the December 5 and 6, 2018 sanitary survey. Violations #7, #9, and #10 from the January 17, 2019, NOV letter were resolved in the March 21, 2019, Partial Resolution of Violation letter. Vermillon's response and their status with respect to each of the remaining violations are listed below.

Partial Resolution of Violation

1. Letter citation #2. On multiple visits during 2017, Dixon completed an inspection and evaluation of the integrity of the structure of the whole water treatment plant building including the flocculation basins, sedimentation basins, filter gallery, clearwells, and the area of the high service pumps. Dixon recommended that the deteriorating concrete manways and vault at Clearwell #4 be removed and replaced and that the termination of the membrane roof to the exterior wall be repaired. Ohio EPA required that Vermillion provide a schedule for completing the repairs.

On February 15, 2019, this office was notified that the manways and vault at Clearwell #4 were repaired.

On June 24, 2019, Ohio EPA received Vermilion's response which stated that the membrane roof on Clearwell #4 was repaired and included photographic documentation. Therefore, this violation has been resolved.

Letter citation #5 and OAC Rule 3745-85-01, "Each community system...shall prepare and maintain a written contingency plan. Mr. Anthony Valerius July 11, 2019 Page 2

When routine methods of delivery or treatment are compromised, the contingency plan shall provide for the protection of public health to the extent possible, through actions including but not limited to the notification of users, including the direct notification of critical users, the provision of alternate sources of water and the restoration of service."

On May 31, 2019, Vermilion submitted a copy of the contingency plan with all the required revisions. Therefore, this violation has been resolved.

3. Letter citation #6 and OAC Rule 3745-81-50(B)(5), "Each public water system shall identify repeat monitoring locations in the sample siting plan. Such plans are subject to review and revision by the director... the system shall monitor with at least one repeat sample from the sampling tap where the original total coliform-positive sample was taken, and at least one repeat sample at a tap within five service connections upstream and at least one repeat sample at a tap within five service connections downstream of the original sampling site."

In accordance with OAC Rule 3745-81-50(B)(5)(a), "A system may propose repeat monitoring locations to the director that the system considers to be representative of a pathway for contamination of the distribution system. A system may elect to specify either alternative fixed locations or criteria for selecting repeat sampling sites on a situational basis in a standard operating procedure (SOP) in the system's sample siting plan. The system shall design the SOP to focus the repeat samples at locations that best verify and determine the extent of potential contamination of the distribution system area based on specific situations."

On May 24, 2019, Vermilion submitted a copy of the sample siting plan to this office to this office. The sample siting plan contained all of the required information. Therefore, this violation has been resolved.

Outstanding Significant Deficiencies

4. Letter citation #1. During the 2015 survey, the City only utilized approximately 1/3 of the volume of the elevated tower for finished water storage due to problems with pressure in the distribution system. The City was required to resolve pressure problems to allow for the increase in the volume of water stored in the elevated tower to reduce the risk of pressure loss and increase the flexibility in plant operations. The City was also required to submit a scope of work necessary to restore the distribution system to a reliable condition. Mr. Anthony Valerius July 11, 2019 Page 3

On September 29, 2017, Ohio EPA received a letter and three exhibits from the former Vermilion City Engineer, Ms. Lynn S. Miggins, P.E. The documentation included a 25-year water main replacement schedule for waterline repairs. As part of this water main replacement program, the City has replaced the water main on Main Street from the Beachwell to Liberty Avenue, has completed the Highbridge Road water main replacement project, and is planning the Adams Street waterline replacement project for 2019. The City increased water rates in 2017 and again in December 2018. Reportedly, loan money that has been obtained and the December 2018, water rate adjustment are both solely intended to fund distribution system improvements.

The City has increased utilization of the elevated water tower to approximately 2/3 full. However, the city experienced an unacceptably high number of water main breaks in 2018 (an estimated 45), potentially due to increased pressure from the elevated water tower storage. Also, recent unaccounted for water loss has been highly variable. The percentage of unaccounted water loss was as low as 9% at the beginning of 2018 but was unacceptably high through the remainder of the year (the exact percentage has not been calculated). Although storage in the elevated tower has increased, the distribution system is still unreliable and in need of improvements.

On February 15, 2019, Ohio EPA received Vermilion's response which stated that the City is in the process of performing a Steady-State Analysis of the water distribution system using the EPANET Program. This analysis is expected to take two months to complete and will be used to develop a 10-year main repair/replacement program. The City committed to completing the analysis and development of the repair/replacement program by July 31, 2019.

- (a) As of March 18, 2019, the information provided by Vermilion was not sufficient to resolve this significant deficiency. Therefore, this significant deficiency has not been resolved.
- (b) Submit documentation of the results of the Steady-State Analysis and a copy of the main repair/replacement program to this office by July 31, 2019.
- 5. Letter citation #3 and OAC Rule 3745-83-01(H)(1), "The owner and operator shall ensure that all facilities and equipment necessary for the treatment and distribution of water shall be maintained, at a minimum so as to function as intended."

Vermilion City does not have a valve exercising program. Working valves are critical components of a reliable water system. This lack of maintenance could result in a major disruption of service.

- (a) As of March 18, 2019, the information provided by Vermilion was not sufficient to resolve this significant deficiency. Therefore, this significant deficiency has not been resolved.
- (b) On February 15, 2019, Ohio EPA received Vermilion's response which stated that the City is committed to purchasing a valve exercising machine within the first half of 2019 and is currently gathering GPS coordinates of each valve so that they can be mapped into a GIS program for tracking purposes. The City committed to developing a formal, written five-year valve exercising plan by September 1, 2019.
- (c) By September 1, 2019, submit a written description of the program to this office for review.
- (d) By September 1, 2019, submit the date to this office when Vermilion began exercising valves.
- (e) By September 1, 2019, submit documentation to this office of at least one critical valve exercise.
- 6. Letter citation #4 and OAC Chapter 3745-87, Asset Management Program, "In order to ensure the long-term viability of public water systems, all public water systems shall demonstrate the managerial, technical, and financial capability of the public water system to comply with this chapter and rules adopted thereunder. Demonstration of capability shall be made through a written description of an asset management program that is acceptable to the director."
 - (a) As of March 18, 2019, the information provided by Vermilion was not sufficient to resolve this significant deficiency. Therefore, this significant deficiency has not been resolved.
 - (b) On February 15, 2019, Ohio EPA received Vermilion's response which stated that the asset management plan is currently being formulated and will be fully implemented by September 1, 2019.
 - (c) Submit a written description of the asset management program to this office by September 1, 2019.

Mr. Anthony Valerius July 11, 2019 Page 4

Failure to correct a significant deficiency violation in accordance with a schedule accepted by the Director represents a treatment technique violation and the water system would be required to issue a Tier 2 public notice to their water consumers.

Outstanding Notice of Violation

- Letter citation #8 and OAC 3745-95-09(A)(1) "Yard hydrants with weep holes used for human consumption installed on a public water system are prohibited unless the weep holes are sealed."
 - (a) As of May 24, 2019, the information provided by Vermilion was not sufficient to resolve this violation. Therefore, this violation has not been resolved.
 - (b) On February 15, 2019, Ohio EPA received Vermilion's response which stated that use of all known yard hydrants within the distribution system has been discontinued.
 - (c) The use of any known yard hydrants in the distribution system has been discontinued; however, the backflow risk from these devices still exists.
 - (d) Select one of the following actions to address the risk for each yard hydrant:
 - Remove the yard hydrant and line serving it;
 - Replace the hydrant with a sanitary yard hydrant that does not have weep holes;
 - Seal the weep holes and make provisions to drain the line for the winter (only if the hydrant provides water for human consumption); or
 - Install a reduced pressure principle backflow prevention device on the line that serves the hydrant and clearly label the hydrant as "nonpotable" or "not for human consumption." Annual testing of the backflow device is required. [OAC Rule 3745-95-09]
 - (e) Vermilion submitted a plan for addressing yard hydrants on April 17, 2019. The plan committed to replacing the yard hydrant at the lift station with a sanitary yard hydrant by June 1, 2019 and replacing all municipally owned yard hydrants by September 1, 2019. The City will address all privately-owned yard hydrants in the distribution system as they are identified.
 - (f) On May 24, 2019, Ohio EPA received photographic documentation of the former yard hydrant at the lift station being replaced with a sanitary yard hydrant.

Mr. Anthony Valerius July 11, 2019 Page 5

(g) Submit a statement that all municipally owned yard hydrants haven been removed or replaced by September 1, 2019.

Conclusion

Please be advised that violations cited above will continue until the violations have been properly resolved. Failure to comply with Chapter 6109 of the Ohio Revised Code and rules promulgated thereunder may result in an administrative or civil penalty of up to \$25,000 per day for each violation. It is imperative that you return to compliance. If circumstances delay the resolution of violations, Vermilion City is requested to submit written correspondence of the steps that will be taken to attain compliance.

Should you have any questions, please feel free to contact me by phone at (419) 373-3108 or email at janis.damico@epa.ohio.gov.

Sincerely,

Janis D'Amico

Environmental Specialist

Janes D'Amuer

Division of Drinking and Ground Waters

/cle

DC:

James Forthofer, Mayor

Eugene Baker, ORC

Erie County Health Department.

ec:

Andy Barienbrock, Manager, DDAGW-CO

Laura Sullivan, Supervisor, DDAGW-NWDO

Natalie Bickhart, DDAGW-CO

Justin Bowerman, DDAGW-NWDO

Eugene Baker, ORC

Tony Valerius, Service Director Lara Schramm, DDAGW-NWDO

1, 2021		
August 31, 20.		
ROGRAM		
MENT		
TER MAIN REPLACE		
ROPOSED 10-YEAR WATER M.	F VERMILION	
PROPOSEC	CITY OF VE	

WATER MAIN REPLACEMENT PROJECTS	LIMITS OF PROJECT	SIZE	LENGTH	MATERIAL	UNIT COST	TOTAL COST
LIBERTY AVENUE, PHASE 2	SOUTH SHORE COURT TO NIAGRA ROAD	12" REPLACEMENT	2,500	C309	\$ 300.00	\$ 750,000.00
LIBERTY AVENUE, PHASE 3	ADAMS STREET TO DECATUR STREET	6" UPSIZED TO 12"	2,300	C309	\$ 359.00	\$ 710,700.00
LIBERTY AVENUE, PHASE 4	OVERLOOK ROAD TO WOODSIDE AVENUE	12" REPLACEMENT	2,900	C309	\$ 236.00	\$ 684,400.00
LIBERTY AVENUE, PHASE 5	ALDRICH ROAD TO OVERLOOK ROAD	12" REPLACEMENT	2,200	C303	\$ 318.00	\$ 699,600.00
ALDRICH ROAD	BERKLEY ROAD TO EDGEWATER DRIVE	4"&6" UPSIZED TO 8"	1,800	C303	\$ 265.00	\$ 477,000.00
DECATUR STREET	SOUTH STREET TO SOUTHERN RAILROAD TRACK	4" UPSIZED TO 8"	550	C303	\$ 265.00	\$ 145,750.00
DOUGLAS STREET	SOUTH STREET TO HALEY STREET	8" REPLACEMENT	1,800	C303	\$ 273.00	\$ 491,400.00
WEST RIVER ROAD	LIBERTY AVENUE TO SOUTH STREET	10"& 12" REPLACEMENT	1,170	C303	\$ 311.00	\$ 363,870.00
EDGEWATER DRIVE, PHASE 1	ALDRICH ROAD TO OVERLOOK ROAD	6" UPSIZED TO 8"	2,500	6065	\$ 290.00	\$ 725,000.00
EDGEWATER DRIVE, PHASE 2	OVERLOOK ROAD TO EAST SIDE OF SHOWSE PARK	6" UPSIZED TO 8"	2,500	C303	\$ 298.00	\$ 745,000.00
HAZLEWOOD DRIVE	LIBERTY AVENUE TO BOYNTON ROAD	4" UPSIZED TO 8"	2,000	C303	\$ 304.00	\$ 608,000.00
				TOTAL ESTIMATE	TOTAL ESTIMATED REPLACEMENT COST \$	\$ 6,400,720.00

NOTE: ESTIMATED COSTS INCLUDE ENGINEERING DESIGN (10%), CONSTRUCTION ADMINISTRATION AND INSPECTION(10%) AND INFLATION (PER ODOT'S INFLATION CALCULATOR)

PREPARED BY:



PROPOSED 10-YEAR WATER MAIN REPLACEMENT PROGRAM CITY OF VERMILION	5								August 31, 2021	, 2021
WATER MAIN REPLACEMENT PROJECTS	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
LIBERTY AVENUE, PHASE 2	00'000'052 \$									
LIBERTY AVENUE, PHASE 3		\$ 710,700.00								
LIBERTY AVENUE, PHASE 4			\$ 684,400.00							
LIBERTY AVENUE, PHASE 5				00.009,669 \$						
ALDRICH ROAD					\$ 477,000.00					
DECATUR STREET					\$ 145,750.00					
DOUGLAS STREET						\$ 491,400.00				
WEST RIVER ROAD							\$ 363,870.00			
EDGEWATER DRIVE, PHASE 1								\$ 725,000.00		
EDGEWATER DRIVE, PHASE 2									\$ 745,000.00	
HAZLEWOOD DRIVE										\$ 608,000.00
ESTIMATED PROJECT COST PER YEAR	\$ 750,000.00	\$ 710,700.00	\$ 684,400.00 \$	\$ 00.009,669 \$	\$ 622,750.00 \$	\$ 491,400.00	\$ 363,870.00 \$		725,000.00 \$ 745,000.00 \$	\$ 608,000.00

PREPARED BY:



DISTRICT 5 CAPITAL IMPROVEMENT PROJECTS QUESTIONNAIRE ROUND 36

Name of Applicant: City of Vermilion, Ohio	
Project Title: Liberty Avenue Watermain Replacement, Phase 4	

The following questions are to be answered for each application submitted for State Issue II SCIP, LTIP and Loan Projects. Please provide specific information using the best documentation available to you. Justification of your responses to these questions will be required if your project is selected for funding, so please provide correct and accurate responses. Villages and Townships under 5,000 in population should also complete the Small Government Criteria.

1.	What pe	ercentage	of the	e project i	n repair A=	%, rej	olacement B=1	1 <u>00</u> %,	expan	sion C	=%,	and new	/ D=
	%?	(Use d	ollar a	amounts	of project	to figure	e percentages	and	make	sure t	he total	equals	one
	hundred	l(100) pe	rcent)	A+B=_	_% C+D=	=%	ORC Referenc	e(s):1	64.06()	B)(1); 1	164.14(E)(10)	

Repair/Replacement = Repair or Replacement of public facilities owned by the government (any subdivision of the state).

New/Expansion = Replacement of privately owned wells, septic systems, private water or wastewater systems, etc.

2a. Existing Physical Condition of Infrastructure ORC Reference(s):164.06(B)(2);164.14(E)(9);164.14(E)(2); 164.14(E)(8)

Points	Category	Description	Examples
10	Failing	Infrastructure has reached a point where it requires replacement, reconstruction or reconfiguration to fulfill its purpose	-Intersection Reconfiguration due to accident problem- Structural paving of 3.5" or greater of additional pavement - Pavement Widening to meet ODOT L&D Standards - Complete Pavement Reconstruction - Water or Sewer Line Replacement - Water or Sewer Plant Replacement - Widening graded shoulder width to ODOT L&D Standard -Complete Bridge or Culvert replacement-Replacement of a major component of a water and/or sewer treatment plant which would result in a failure in meeting WQ Standards
8	Poor	The condition is substandard and requires repair or restoration in order to return to the intended level of service and comply with current design standards. Infrastructure contains deficiency and is functioning at a diminished capacity.	-Multiple course of paving - Structural Culvert Lining - Bridge Deck Replacement - Replacement of a component such as a control mechanism, pumps, hydrants, valves, filters,

			etc of a water or sewer plant - Single course of paving with 25% base repair-Widening graded shoulder width to less than ODOT L&D Standard
6	Fading	The condition requires reconditioning to continue to function as originally intended.	-Single course of paving -Sewer Lining Projects -Water tower painting -Repair of a tank to maintain structural integrity in existing water and sewer systems-Widening aggregate berm on existing graded shoulder width
4	Fair	The condition is average, not good or poor. The infrastructure is still functioning as originally intended. Minor deficiencies exist requiring repair to continue to function as originally intended and/or to meet current design standards	
2	Good	The condition is safe and suitable to purpose. Infrastructure is functioning as originally intended, but requires minor repairs and/or upgrades to meet current design standards	
0	Excellent	The condition is new or requires no repair. Or, no supporting documentation has been submitted	

2b. Age of Infrastructure ORC Reference(s):164.06(B)(2)

Life	20	30	50			
Project		Wastewater and Water	Bridge/Culvert, Sanitary			
Type	Road	Treatment	Sewer, Water Supply,			
			Storm Water, Solid			
			Waste			
Points						
0	0-4 Years	0-6 Years	0-10 Years			
1	5-8 Years	7-12 Years	11-20 Years			
2	9-12 Years	13-18 Years	21-30 Years			
3	13-16 Years	19-24 Years	31-40 Years			
4	17-20 Years	25-30 Years	41-50 Years			
5	20+ Years	30+ Years	50+ Years			

3. Health and Safety Rating: ORC Reference(s):164.06(B)(4),164.14(E)(1); 164.14(E)(10)

If the proposed project is not approved what category would best represent the impact on the general health and/or public safety?

ROADS

Extremely Critical: Resurfacing, Restoration, Rehabilitation and Reconstruction (4R) of a Major

Access Road.*

Critical: Resurfacing, Restoration and Rehabilitation (3R) of a Major Access Road.*

Major: Resurfacing, Restoration, Rehabilitation and Reconstruction (4R) of a Minor

Access Road.*

Moderate: Resurfacing, Restoration and Rehabilitation (3R) of a Minor Access Road.*

Minimal: Preventative Maintenance of a Major Access Road.

No Impact: Preventative Maintenance of a Minor Access Road.

Projects that have a variety of work will be scored in the <u>LOWEST</u> category of work contained in the Construction Estimate.

Road/Street Classifications:

Major Access Road: Roads or streets that have a dual function of providing

access to adjacent properties and providing through or

connecting service between other roads.

Minor Access Road: Roads or streets that primarily provide access to adjacent

properties without through continuity, such as cul-de-sacs

or loop roads or streets.

Preventative Maintenance: Non Structural Pavement work such as chip sealing, cape

sealing, micro-surfacing, crack sealing, etc.

BRIDGES SUFFICIENCY RATING

Extremely Critical: 0-25, or a General Appraisal rating of 3 or less.

Critical: 27-50, or a General Appraisal rating of 4.

Major: 51-65 or a General Appraisal rating of 5 or 6.

Moderate: 66-80 or a General Appraisal rating of 7.

Minimal: 81-100 or a General Appraisal rating of more than 7.

No Impact: Bridge on a new roadway.

^{*(3}R) Resurfacing, Restoration and Rehabilitation - Improvements to existing roadways, which have as their main purpose, the restoration of the physical features (pavement, curb, guardrail, etc.) without altering the original design elements. (Surface and Intermediate layer Mill and Fills, overlays with less than or equal to 3.5" of additional pavement, etc....)

^{*(4}R) Resurfacing, Restoration, Rehabilitation and Reconstruction - Much like 3R, except that 4R allows for the complete reconstruction of the roadway and alteration of certain design elements (i.e., lane widths, shoulder width, SSD, overlays with greater than 3.5" of additional pavement. etc.).

WASTEWATER TREATMENT PLANTS

Extremely Critical: Improvements required by the Environmental Protection Agency (EPA) in the form of a

consent decree, finding and orders or court order, and Health Department Construction

Ban.

Critical: Improvements required by the Environmental Protection Agency (EPA) in the form of

NPDES permit requirements or Notice of Violations.

Major: Replace deficient appurtenances. Update existing processes due to EPA

recommendations.

Moderate: Increase capacity to meet current needs or update processes to improve effluent quality.

Minimal: New/Expansion project to meet a specific development proposal.

No Impact: New/Expansion to meet future or projected needs.

WATER TREATMENT PLANT

Extremely Critical: EPA orders in the form of a consent decree, findings and orders or court order.

Critical: Improvements to meet Environmental Protection Agency (EPA) Safe Drinking Water

Regulations and/or Notice of Violations.

Major: Replace deficient appurtenances. Update existing processes due to EPA

recommendations.

Moderate: Increase capacity to meet current needs or update processes to improve water quality.

Minimal: New/Expansion project to meet a specific development proposal.

No Impact: New/Expansion to meet future or projected needs.

<u>COMBINED SEWER SEPARATIONS</u> (May be construction of either new storm or sanitary sewer as long as the result is two separate sewer systems.)

Extremely Critical: EPA orders in the form of a consent decree, findings and orders or court order. Health Department Construction Ban.

Critical: Separate, due to chronic backup or flooding in basements.

Major: Separate, due to documented water quality impairment, or due to EPA recommendations.

Moderate: Separate, due to specific development proposal within or upstream of the combined system

area

Minimal: Separate, to conform to current design standards.

No Impact: No positive health effect.

STORM SEWERS

Extremely Critical: Improvements ordered by the Environmental Protection Agency (EPA) in the form of a

consent decree, findings and orders or court order.

Critical: Chronic flooding (structure damage) or improvements required by the Environmental

Protection Agency (EPA) in the form of NPDES permit requirements or Notice of

Violations.

Major: Inadequate capacity (land damage).

Moderate: Inadequate capacity with no associated damage.

Minimal: New/Expansion to meet current needs.

No Impact: New/Expansion to meet future or project needs.

CULVERTS

Extremely Critical: Structurally deficient or functionally obsolete. Deterioration has already caused a critical

safety hazard to the public.

Critical: Inadequate capacity with land damage and the existing or high probability of property

damage.

Major: Inadequate capacity (land damage).

Moderate: Inadequate capacity with no associated damage.

Minimal: New/Expansion to meet current needs.

No Impact: New/Expansion to meet future or projected needs.

SANITARY SEWERS

Extremely Critical: EPA orders in the form of a consent decree, findings and orders or court order. Health

Department Construction Ban.

Critical: Replace, due to chronic pipe failure, chronic backup or flooding in basements, sewer

system overflows, and/or improvements required by the Environmental Protection Agency (EPA) in the form of NPDES permit requirements or Notice of Violations.

Major: Replace, due to inadequate capacity or infiltration, or due to EPA recommendations.

Moderate: Rehabilitate to increase capacity to meet current needs or to reduce inflow and

infiltration.

Minimal: New/Expansion project to meet a specific development proposal.

No Impact: New/Expansion to meet future or projected needs.

SANITARY LIFT STATIONS AND FORCE MAINS

Extremely Critical: Structurally deficient. Deterioration has already caused a safety/health hazard to

the public, or; EPA orders in the form of a consent decree, findings and orders or

court order.

Critical: Inadequate capacity with actual or a high probability of property damage; or

improvements required by the Environmental Protection Agency (EPA) in the

form of NPDES permit requirements.

Major:

EPA recommendations, or; reduces a probable health and/or safety problem.

Moderate:

Rehabilitate to increase capacity to meet current needs.

Minimal:

New/Expansion to meet a specific development proposal.

No Impact:

New/Expansion to meet future or projected needs.

WATER PUMP STATIONS

Extremely Critical: Struct

Structurally deficient. Deterioration has already caused a safety hazard to the public, or, EPA orders in the form of a consent decree, findings and orders or

court order.

Critical:

Inadequate capacity with the inability to maintain pressure required for fire flows.

Major:

Replace due to inadequate capacity or EPA recommendations.

Moderate:

Rehabilitate to increase capacity to meet current needs.

Minimal:

New/Expansion to meet a specific development proposal.

No Impact:

New/Expansion to meet future or projected needs.

WATER LINES/WATER TOWERS

Extremely Critical:

Replace to solve low potable water pressure or excessive incidents of main breaks

in project area.

Critical:

Replacement/Rehabilitation due to structural deficiency such as excessive

corrosion and/or safety upgrades, etc.

Major:

Replace undersized water mains as part of an overall upgrade process. Replace

water meters that have exceeded their useful life.

Moderate:

Increase capacity to meet current needs. Spot repairs/recoating to restore

moderate corrosion of water components.

Minimal:

New/Expansion project to meet a specific development proposal.

No Impact:

New/Expansion to meet future or projected needs.

<u>OTHER</u>

Extremely Critical:

There is a present health and/or safety threat.

Critical:

The project will provide immediate health and/or safety benefit.

Major:

The project will reduce a probable health and/or safety problem.

	Minimal:	A possible future health and/or safety problem mitigation.
	No Impact:	No health and/or safety effect.
	NOTE:	Combined projects that can be rated in more than one subset may be rated in the other category at the discretion of the District 5 Executive Committee. In general, the majority of the cost or scope of the project shall determine the category under which the project will be scored.
	(Submittals	without supporting documentation will receive 0 Points for this question.)
	Extremely C	Critical, Critical, Major, Moderate, Minimal, No Impact Explain
	your answer.	
	(Additional n	arrative, charts and/or pictures should be attached to questionnaire)
4.	•	eference164.06(B)(6);)ORC164.06(B)(7); ORC164.06(B)(3); ORC164.14(E)(4)
	A.) Amount	of Local Funds = \$499,122
	B.) Total Pro	ject Cost = \$824,122
		funds should be considered funds derived from the applicant budget or loans funds to be ough local budget, assessments, rates or tax revenues collected by the applicant.
5.	as a percenta	mount of other funding sources to be used on the project, excluding <u>SCIP or LTIP Funds</u> , ge of the total project cost. ORC Reference(s):164.06(B)(7);164.14(E)(4)
	Grants	% Gifts%, Contributions%
	Other%	6 (explain), Total <u>0</u> %
		t funds and other revenues not contributed or collected through taxes by the applicant asidered other funds. The Scope of Work for each Funding Source must be the same.
6.	categories be request equal point penalty	at of SCIP and Loan Funding Requested- An Applicant can request a grant per the low for points as indicated on the Priority Rating Sheet. If the Applicant is including a loan to, but not exceeding 50% of the OPWC funding amounts listed below, there will be no . If loan funds requested are more than 50%, points as listed in the Priority Rating Sheet ORC Reference(s):164.14(E)(10);164.06(B)(5)
	X	\$500,001 or More \$400,001-\$500,000 \$325,001-\$400,000 \$275,001-\$325,000

The project will delay a health and/or safety problem.

Moderate:

	\$175,000 or Less
	There are times when the District spends all of the grant money and has loan money remaining. When this happens, the district makes a loan offer in the amount of the requested grant to the communities that were not funded. The offers are made in the order of scoring. We need to know if you are not successful in obtaining grant dollars for your project if you would be interested in loan money:
	YES X NO (This will only be considered if you are not funded with grant money and there is remaining loan money.) Please note: if you answer "no" you will not be contacted, only if you answer "yes" will an offer be made in the event that there is loan money remaining.
7.	If the proposed project is funded, will its completion directly result in the creation of permanent full-
	time equivalent (FTE) jobs (FTE jobs shall be defined as 36 hours/week)? Yes No X If yes, how
	many jobs within eighteen months? Will the completed project retain jobs that would otherwise be
	permanently lost? Yes No _X If yes, how many jobs will be created/retrained within 18
	months following the completion of the improvements?
	ORC Reference(s): 164.14(E)(3);164.14(E)(10)
	(Supporting documentation in the form of letter from affected industrial or commercial enterprises that
	specify full time equivlent jobs that will be retained or created directly by the installation or
	improvement of Public infrastructure. Additional items such as; 1) newspaper articles or other media
	news accounts, 2) public meeting minutes, and/or 3) a letter from the County Economic Development
	Director or State of Ohio Economic Development Professional that alludes to the requirement for the
	infrastructure improvement to support the business. Submittals without supporting documentation will
	receive 0 points for this question.)
8.	What is the total number of existing users that will directly benefit from the proposed project if completed?174 (Use households served, traffic counts, etc. and explain the basis by which you arrived at your number.) _ORC Reference 164.14(E)(7); 164.06(B)(10) 155 Residential Dwellings and 19 Commercial Businesses
9.	Economic Distress Criteria ORC Reference 164.06(B)(8)
J.	What is the Local Median Household Income as a percentage of the District Median Household Income?
	97.92 %. Please utilize the Economic Distress Scoring Criteria based on ACS 2013-2017 Data
	provided in Exhibit A.
10.	Readiness to Proceed Criteria ORC Reference 164.06(B)(9); ORC 164.14(E)(5)
	Please categorize the status of planning and design elements for the project.
	Plans have not begun yet (0 Points)

\$175,001-\$275,000

	X Preliminary Engineering Complete (1 Point)
	Final Design Complete (2 Points)
11. 12.	Base Score Total for Questions 1-10= 85 County Subcommittee Priority Points= (25-20-15 Points for each of the SCIP and LTIP Project Categories)
13.	DISCRETIONARY POINTS (BY DISTRICT COMMITTEE ONLY)
13a.	A District Discretionary Point may be awarded to projects that demonstrate significant Area-wide,
	County, or Community Impact. (Include documentation to support the claim of significance)
	(Maximum of 1 Point at the discretion of the District Executive Committee)
	ORC Reference 164.14(E)(7)
13b.	A District Discretionary Point may be awarded to projects that demonstrate that the entity has
	maximized local financial resources including assessments. Provide a Fund Status Report and/or the
	water and sanitary waste utility rate structures are at least 2.5% of area median household income for
	combined systems and 1.5% of the area median household income for water and sanitary only
	systems. Please provide rate ordinances for water and sanitary sewer to be considered for
	discretionary points. (Maximum of 1 Point at the discretion of the District 5 Executive
	Committee) ORC Reference 164.06(B)(3)
14.	Grand Total of Points
15.	Is subdivision's population less than 5,000 Yes No X If yes, continue. You may want to
	design your project per Small Government Project Evaluation Criteria, released for the current
	OPWC Round to assist in evaluating your project for potential Small Government Funding. The
	Small Government Criteria is available on the OPWC website at
https:/	/www.pwc.ohio.gov/Portals/0/Data/SmallGovernment%20Round%2036%20Methodology.pdf?ver=2019
-08-07	7-071749-143

16. OHIO PUBLIC WORKS COMMISSION SMALL GOVERNMENT PROGRAM GUIDELINES

All projects that are sponsored by a subdivision with a population of 5,000 or less, and not earning enough points for District Funding from SCIP or LTIP Funds, are then rated using the Small Government Program Rating Criteria for the corresponding funding round. In order to be rated the entity must submit the Small Government Suppliment and their required budgets with their application. Only infrastructure that is village- or township- owned is eligible for assistance. The following policies have been adopted by the Small Government Commission:

• District Integrating Committees may submit up to seven (7) applications for consideration by the

Date: 9,9,2(
Signature: 6/m fold
Title: Mayor
Address: 5511 Liberty Avenue, Vermilion, Ohio 44089
Phone: 440-204-2402
FAX: 440-204-2411
Email: jimforthofer@vermilion.net

- 1	COUNTY	T: Liberty Avenue Wate	rm	nai	n F	}e	pla	106	em	ent. P	hase 4					Revised 06 PROJECT NUM	/29/2021 BER	
٥.	EST. CO	ST:\$824,122	Т							'A' x 'B'								P
	WEIGHT	CRITERIA TO BE CONSIDERED	PRIORITY FACTORS											PRIORITY	FACTORS			
	1	(REPAIR OR REPLACE) vs. (NEW	(2	4	1	6	8	10	200		0	20%+	4 40%+	60%+	80%+	100%+	ļ
		OR EXPANSION)								10		Repair or Replacement	Repair or Replacement	Repair or Replacement	Repair or Replacement	Repair or Replacement	Repair or Replacement	
				2	4	t	6	8	10			0	2	4	6	8	10	ł
	1	EXISTING PHYSICAL CONDITION Please refer to Criteria #2 of the Round 36 Scoring Methodology. Must substantiating documentation. (100% New or Expansion = 0 Points)								10		Excellent	Good	Fair	Fading	Poor	Falling]
B	1	AGE	ľ	i	2	I	3	4	5		Type Road	0 0-4 Yrs	1 5-8 Yrs	9-12 Yrs	3 13-16 Yrs	17-20 Yrs	5 20+ Yrs	7
	À		l	l	ı	ı	١	١	١		Wastewater	0-6 Yrs	7-12 Yrs	13-18 Yrs	19-24 Yrs	25-30 Yrs	30+ Yrs	╛
										5	Bridge/Culvert, Sanitary Sewer, Water Supply, Storm Water, Solid Waste	0-10 Yrs	11-20 Yrs	21-30 Yrs	31-40 Yrs	41-50 Yrs	50+ Yrs	
3	2	PUBLIC HEALTH AND/OR	ľ	0 2	1	ľ	6	8	10			0	2	4	6	8	10	7
		SAFETY CONCERNS Submittals without supporting documentation will receive 0 points for this question.								20		No Impact	Minimal	Moderate	Major	Critical	Extremely Critical	
4	2	LOCAL MATCHING FUNDS	(0 2	4	1	6	8	10		27/23	0	2	4	6	8	10	1
•	•	Percentage of Local Share (Local funds are funds derived from the applicant budget or a loan to be paid back through the applicant budget, assessments, rales or tax revenues) *								20		0%	10%	20%	30%	40%	50%	
5	1	OTHER FUNDING	-	0 2	4	1	6	8	10			0	2	4	6	8	10	7
		(Excluding Issue II Funds) (Grants and other revenues not contributed or collected through taxes by the applicant; including Gitts, Contributions, etc. – must submit copy of award or status letter.)								0		0%	10%	20%	30%	40%	50%	
6		OPWC GRANT AND LOAN FUNDS REQUESTED Please refer to Criteria #6 of the Round 36 Methodology for clarification.																
	2	Grant or Loan Only	4		0	1	,	9 1	10	16		-9 Grant or	-8	0	8	9	10	+
				_	_	_						\$500,001 or more	\$400,001 to \$500,000	\$325,001 \$400,000	\$275,001 \$325,000	\$175,001 \$275,000	\$175,000 or less	t
	2		Ι.				I	I				Grant/Loan Combination \$750,000	\$600,001 to	\$487,501 to	\$412,501 to	\$262.501 to	\$262,500	I
		Grant /Loan Combination		L	L	1	1	*	1			or more	\$750,000	\$600,000	\$487,500	\$412,500	or less	1
	4	When scoring a project that is only a then use the second chart labeled *	gran Gran	not co	only san	Cor	nn. I	Plea natio	on" k	se the ch	art labeled "Grant e total (grant and i	or Loan Only". Wh loan combined). U	en scoring a gran lse the lower of th	Moan combination two as the score	n, score the proje e.	ct for the grant in	the first chart,	
7	1	JOB CREATION/RETENTION Indicate full time equivalent jobs, include supporting documentation in the form of a commitment letter from business or third party entity.	0	2			5			0		0 G Jobs	7-14 Jobs	4 15-24 Jobs	6 25+ Jobs			
٦	1	BENEFIT TO EXISTING USERS	ď	2	4	6		8 1	10			0	2	4	6	8 750 - 1000	10	ļ
		households or traffic counts) Equivalent overing unit or ect connections. Traffic Counts within three years with certified documentation, etc.								2		0 -99 Users	100 - 349 Users	350 - 499 Users	500 - 749 Users	Users	1000+ Users	
9		ECONOMIC DISTRESS Local	0	1	2	ſ			F		1	0	1	2				F
		MHI as a percentage of the District Median MHI								1		100%+	80%-100%	Less Than 80%				
10	1	READINESS TO PROCEED	0	1	2	Ī					2002	0	1	2	40000			Þ
									1			Plans Not Begun Yel	Preliminary Engineering Complete	Final Design Complete				
1		SUBTOTAL RANKING POINTS (MAX. = 115)	85					85		Other Info: Does this project I YES NO Attach impact stat Is the Applicant re- YES NO	neve a significant			months?	,	1		
		COUNTY SUBCOMMITTEE							T									
2		PRIORITY POINTS (25-20-15)																
2 3A		DISCRETIONARY POINTS (BY	H	_	_	_	_	_	+	-		District Discretions	ary Point may be a	warded to projec	ts that demonster	te significant Are	a-wide, County.	, 0
												District Discretions Community Impact District Discretions financial resources	t. Include docume ary Point may be a	ntaion to support warded to projec	the claim of sign	ificance.	33 - 45	