	COUNTY		-	~		Ô	1							PROJECT NUM	BER:	_
	PROJEC EST. CO		25	U	L									1:		_
2.	"A"	CRITERIA TO BE CONSIDERED		F	PRIC	B* ORITY TORS		"A" x "B"				PRIORITY	ACTORS			
	FACTOR		0	2	4	6 8	10			0	2	4	6	8	10	1
٦	1	(REPAIR OR REPLACE) vs. (NEW OR EXPANSION)								0%+	20% +	40% +	60%+	*****	100%+	I
		a C					X	10		Repair or Replacement	Repair or Replacement	Repair or Replacement	Repair or Replacement	Repair or Replacemnt	Repair or Replacement	100
	1	EXISTING PHYSICAL	0	2	4	6 8	10			0	2	4	6	8	10	1
^	'	Please refer to Criteria #2 of the Round 35 Scoring Methodology. Must submit substantiating documentation, (100% New or Expansion = 0 Points)				X		6		Excellent	Good	Fair 2	Fading	Poor	Failing	
В	1	AGE	0	1	2	3 4	5		Type Road	0 0-4 Yrs	1 5-8 Yrs	9-12 Yrs	3 13-16 Yrs	4 17-20 Yrs	5 20+ Yrs	
						×		4	Wastewater Bridge/Culvert,	0-6 Yrs	7-12 Yrs	13-18 Yrs	19-24 Yrs	25-30 Yrs	30+ Yrs	-
				П				0	Sanitary Sewer, Water Supply, Storm Water,	0-10 Yrs	11-20 Yrs	21-30 Yrs	31-40 Yrs	41-50 Yrs	50+ Yrs	
			0	2	4	6 8	10		Solid Waste	0	2	4	6	8	10	
3	2	PUBLIC HEALTH AND/OR SAFETY CONCERNS				×		16		No Impact	Minimal	Moderate	Major	Critical	Extremely Critical	
		Submittals without supporting documentation will receive 0 points for this question.													Oneca	
	2	LOCAL MATCHING FUNDS	0	2	4	6 8	10			0	2	4	6	8	10	1
		Percentage of Local Share (Local funds are funds derived from the applicant budget or a loan to be paid back through the applicant budget, assessments, rates or tax revenues).*					×	20		0%	10%	20%	30%	40%	50%	
5	1	OTHER FUNDING (Excluding Issue II Funds)	0	2	4	6 8	10			0	2	4	6	8	10	
		(Grants and other revenues not contributed or collected through taxes by the applicant, including Grifs, Contributions, etc. – must submit copy of award or status letter.)	X					6		0%	10%	20%	30%	40%	50%	
5		OPWC GRANT AND LOAN FUNDS REQUESTED Please refer to Criteria #6 of the Round 35 Methodology for clarification.					X									State of the latest designation of the lates
	2	Grant or Loan Only	-9	-8	0	8 9	10	20		-9 Grant or	-8	0	8	9	10	
										\$500,001	\$400,001 to	\$325,001	\$275,001	\$175,001	\$175,000	
	2	Grant /Loan Combination	-9	-8	0	8	9 10			or more Grant/Loan Combination \$750,000	\$500,000 \$600,001 to	\$400,000 \$487,501 to	\$325,000 \$412,501 to	\$275,000 \$262,501 to	or less \$262,500	
		When scoring a project that is only	orar					e use the	hart labeled "Grant or Loan	or more	\$750,000	\$600,000	\$487,500	\$412,500	or less	_
		then use the second chart labeled	'Gra	nt/Lo	an C	ombi	nation	" to score	the total (grant and loan cor	mbined). Use the l	ower of the two	as the score,		and grant in the	merenorq	
,	1	JOB CREATION/RETENTION	0	2	4	6				0	2	4	6			
		Indicate full time equivalent jobs, include supporting documentation , in the form of a commiment letter from business or third party entity."	X			AND SAME		0		0-6 Jobs	7-14 Jobs	15-24 Jobs	25+ Jobs			
8	1	BENEFIT TO EXISTING USERS	0	2	4	6 8	10			0	2 100 - 349	4 350 - 499	6	8 750 - 1000	10	
	100	(households or traffic counts)				X		6		0 -99 Users	Users	Users	500 - 749 Users	Users	1000+ Users	
		connections, Traffic Counts within two years with certified documentation, etc.			1			0								
	1	ECONOMIC DISTRESS	0	1	2			1111		0	1	2				
•	•	Local MHI as a percentage of the District Median MHI	X					0		100%+	80%-100%	Less Than 80%				
0	1	READINESS TO PROCEED	0	1	2			2		0 Plans Not Begun	1 Preliminary	2 Final Design				
				$\Box$						Yet	Engineering Complete	Complete				
1		SUBTOTAL RAHKING POINTS (NAX. = 115)						84		Other Info:  Does this project  YES NO  Attach impact sta  Is the Applicant re	lement if yes .					
2		COUNTY SUBCOMMITTEE PRIORITY POINTS (25-20-15)														_
3A		DISCRETIONARY POINTS (BY DISTRICT ONLY) (MAX.=1)								District Discretion or Community Imp	nary Point may b pact, Include do	e awarded to pro cumentaion to su	jects that demon pport the claim of	starte significan of significance,	Area-wide, Co	JU
3B		DISCRETIONARY POINTS (BY	L							District Discretion	nary Point may b	e awarded to pro	jects that demon	starte that the e	ntity has maxim	ni 2
		DISTRICT ONLY) (MAX,=1)								financial resource	s including ass	essments and uti	ry rate structure			

<sup>\*</sup> Applicants must certify local and other share contributions. Specify, all funding sources to be utilized as local share at the time of application submittal.



### State of Ohio Public Works Commission

Application for Financial Assistance IMPORTANT: Please consult "Instructions for Financial Assistance for Capital Infrastructure Projects" for guidance in completion of this form. Subdivision Code: <u>069-00069</u> Applicant: Henry County Applicant District Number: 5 County: Henry Date: <u>08/17/202</u>0 Contact: Timothy Schumm, Henry County Engineer PE, PS Phone: (419) 592-2976 (The individual who will be available during business hours and who can best answer or coordinate the response to questions) FAX: (419) 592-5508 Email: tschumm@henrycountyengineer.com Project Name: Henry County 2021 Resurfacing Project Zip Code: \_\_\_\_\_43545 Subdivision Type Project Type Funding Request Summary (Select one) (Select single largest component by \$) (Automatically populates from page 2) 1. County 350,000 .00 **Total Project Cost:**  Road .00 .00 2. Bridge/Culvert 1. Grant: 2. Loan: 3. Water Supply 3. Township 0.00 4. Village 4. Wastewater 3. Loan Assistance/ Credit Enhancement: 5. Solid Waste 5. Water (6119 Water District) 175,000 .00 Funding Requested: 6. Stormwater **District Recommendation** (To be completed by the District Committee) Funding Type Requested SCIP Loan - Rate: \_\_\_\_\_% Term: \_\_\_\_ Yrs Amount: \_\_\_\_\_.00 RLP Loan - Rate: \_\_\_\_\_ % Term: \_\_\_\_ Yrs Amount: \_\_\_\_\_\_.00 State Capital Improvement Program Local Transportation Improvement Program Amount: \_\_\_\_\_.00 Grant: Revolving Loan Program Amount: \_\_\_\_\_.00 LTIP: Small Government Program Amount: \_\_\_\_\_.00 Loan Assistance / Credit Enhancement: District SG Priority: \_\_\_ For OPWC Use Only **STATUS** Loan Type: SCIP RLP Grant Amount: \_\_\_\_\_\_.00 Project Number: \_\_\_\_\_ Loan Amount: .00 Date Construction End: \_\_\_ Total Funding: \_\_\_\_\_.00 Date Maturity: Local Participation: \_\_\_\_\_\_ % Rate: Release Date:

OPWC Participation: \_\_\_\_\_

Yrs

Term:

OPWC Approval: \_

### 8.

### 1.0 Project Financial Information (All Costs Rounded to Nearest Dollar)

### 1.1 Project Estimated Costs

Engineering Services				
Preliminary Design:	.00			
Final Design:	.00			
Construction Administration:	.00			
Total Engineering Services:	a.)	0. (0	)0	0 %
Right of Way:	b.)		00	
Construction:	c.)	350,000 .0	00	
Materials Purchased Directly:	d.)		00	
Permits, Advertising, Legal:	e.)	),	00	
Construction Contingencies:	f.)	).	00	0 %
Total Estimated Costs:	g.)	350,000 .	00	
1.2 Project Financial Resources				
Local Resources				
Local In-Kind or Force Account:	a.)		00	
Local Revenues:	b.)	175,000 .	00	
Other Public Revenues:	c.)	,	00	
ODOT / FHWA PID:	d.)	,	00	
USDA Rural Development:	e.)		00	
OEPA / OWDA:	f.)		00	
CDBG:  County Entitlement or Community Dev. "Formula"  Department of Development		•	00	
Other:	h.)	•	00	
Subtotal Local Resources:	i.)	<u>175,000</u> .	00	50_ %
OPWC Funds (Check all requested and enter Amount)				
Grant: 100 % of OPWC Funds	j.)	<u> 175,000</u> .	.00	
Loan: 0 % of OPWC Funds	k.)		.00	
Loan Assistance / Credit Enhancement:	l.)	0.	.00	
Subtotal OPWC Funds:	m.)	175,000 .	.00	50 %
Total Financial Resources:	n.)	350,000	.00	<u>100</u> %

Form OPWC0001 Rev. 12.15 Page 2 of 6

### 1.3 Availability of Local Funds

Attach a statement signed by the <u>Chief Financial Officer</u> listed in section 5.2 certifying <u>all local resources</u> required for the project will be available on or before the earliest date listed in the Project Schedule section. The OPWC Agreement will not be released until the local resources are certified. Failure to meet local share may result in termination of the project. Applicant needs to provide written confirmation for funds coming from other funding sources.

2.0 Rep	air / Replacement or New / Expa	ansion					
	2.1 Total Portion of Project Repair / Replace	ment:	350,	_ 00. 000	100	%	A Farmland Preservation letter is
	2.2 Total Portion of Project New / Expansion	n: _		0.00	0	%	required for any impact to farmland
	2.3 Total Project:	-	350,	.000 .00	100	%	
3.0 Proj	ect Schedule						
	3.1 Engineering / Design / Right of Way	Begin Date:	07/01/2020	End Date:	08/	31/2	2020
	3.2 Bid Advertisement and Award	Begin Date:	06/11/2021	End Date:	07/	06/2	2021
	3.3 Construction	Begin Date:	07/06/2021	End Date:	10/	29/2	2021
	Construction cannot begin prior to release of e	xecuted Projec	t Agreement and	issuance of N	otice t	lo Pi	roceed.
4.0 Proi	Failure to meet project schedule may resul Modification of dates must be requested in Commission once the Project Agreement h  ect Information	writing by pro	oject official of re				
-	he project is multi-jurisdictional, information n	nust be conso	lidated in this se	ction.			
	Jseful Life / Cost Estimate / Age						
	oject Useful Life: <u>15</u> Years Age: Attach Registered Professional Engineer's project's useful life indicated above and det	2003 statement, wit	(Year built or y				•
4.2 L	Jser Information						
Ro	oad or Bridge: Current ADT 620	Year2020	Projected	ADT74	14 Ye	ear _	2040
W	ater / Wastewater: Based on monthly usag	je of 4,500 gal	lons per househo	old; attach cu	rrent	ordi	nances.
	Residential Water Rate	Current	\$	Proposed \$	S		<del></del>
	Number of households served:	-					
	Residential Wastewater Rate	Current	\$	Proposed \$	S		
	Number of households served:	<del></del>					

Form OPWC0001 Rev. 12.15 Page 3 of 6

Stormwater: Number of households served: \_\_\_

### 4.3 Project Description

A: SPECIFIC LOCATION (Supply a written location description that includes the project termini; a map does not replace this requirement.) 500 character limit.

Road 11 from Road S to Road T; Road 11 from Road V to Road W; Road 6C from Road U to Road T; Road U from Road 1D to Road 2, Blaine Street from SR 109 to Third Street; Railroad Street from Marion Street to Main Street; Cleveland Street from Third Street to Fourth Street; Second Street from Hubbard to Cowen Street

B: PROJECT COMPONENTS (Describe the specific work to be completed; the engineer's estimate does not replace this requirement) 1,000 character limit.

All roads to be resurfaced with 1.5" of 823 surface course and berm in place. Manholes and valves will be adjusted to grade in the Village of Hamler.

C: PHYSICAL DIMENSIONS (Describe the physical dimensions of the existing facility and the proposed facility. Include length, width, quantity and sizes, mgd capacity, etc in detail.) 500 character limit.

Road 11 is 17 feet wide and 5245 feet in length; Road 11 is 16.5 feet wide and 5260 feet in length; Road 6C is 10 feet wide 5300 feet in length; Road U is 10.5 feet wide and 2750 feet in length; Blaine Street is 12.5 feet wide and 650 feet in length; Railroad Street is 18 feet wide and 860 feet in length; Cleveland Street is 12 feet wide and 320 feet in length; Second Street is 12.5 feet wide and 1220 feet in length.

Form OPWC0001 Rev. 12.15 Page 4 of 6

### 5.0 Project Officials

Changes in Project Officials must be submitted in writing from an officer of record.

5.1 Chief Executive Officer	(Person au	uthorized in legislation to sign project agreements)
	Name:	Glenn A Miller
	Title:	President, Henry County Commissioners
	Address:	1853 Oakwood Avenue
	City:	Napoleon State: OH Zip: 43545
	Phone:	(419) 592-4876
	FAX:	(419) 592-4016
	E-Mail:	commissioners@henrycountyohio.com
5.2 Chief Financial Officer	(Can not a	also serve as CEO)
	Name:	Kevin Garringer
	Title:	County Auditor
	Address:	660 North Perry Street
	City:	Napoelon State: OH Zip: 43545
	Phone:	(419) 592-1956
	FAX:	(419) 592-4024
	E-Mail:	auditor@henrycountyohio.com
5.3 Project Manager		
	Name:	Timothy J Schumm, PE/ PS
	Title:	County Engineer
	Address:	1823 Oakwood Avenue
	City:	Napoleon State: OH Zip: 43545
	Phone:	(419) 592-2976
	FAX:	(419) 592-5508
	E-Mail:	tschumm@henrycountyengineer.com

Form OPWC0001 Rev. 12.15 Page 5 of 6

### 6.0 Attachments / Completeness review

Confirm in the boxes below that each item listed is attached (Check each box) A certified copy of the legislation by the governing body of the applicant authorizing a designated 1 official to sign and submit this application and execute contracts. This individual should sign under 7.0, Applicant Certification, below. A certification signed by the applicant's chief financial officer stating the amount of <u>all local share</u> **V** funds required for the project will be available on or before the dates listed in the Project Schedule section, If the application involves a request for loan (RLP or SCIP), a certification signed by the CFO which identifies a specific revenue source for repaying the loan also must be attached. Both certifications can be accomplished in the same letter. A registered professional engineer's detailed cost estimate and useful life statement, as required in 1 164-1-13, 164-1-14, and 164-1-16 of the Ohio Administrative Code. Estimates shall contain an engineer's seal or stamp and signature. A cooperative agreement (if the project involves more than one subdivision or district) which identifies 1/ the fiscal and administrative responsibilities of each participant. Farmland Preservation Review - The Governor's Executive Order 98-IIV, "Ohio Farmland Protection Policy" requires the Commission to establish guidelines on how it will take protection of productive agricultural and grazing land into account in its funding decision making process. Please include a Farm Land Preservation statement for projects that have an impact on farmland. Capital Improvements Report, CIR Required by O.R.C. Chapter 164.06 on standard form. Supporting Documentation: Materials such as additional project description, photographs, economic **/** impact (temporary and/or full time jobs likely to be created as a result of the project), accident reports, impact on school zones, and other information to assist your district committee in rankina your project. Be sure to include supplements which may be required by your local District Public Works

### 7.0 Applicant Certification

Integrating Committee.


The undersigned certifies: (1) he/she is legally authorized to request and accept financial assistance from the Ohio Public Works Commission as identified in the attached legislation; (2) to the best of his/her knowledge and belief, all representations that are part of this application are true and correct; (3) all official documents and commitments of the applicant that are part of this application have been duly authorized by the governing body of the applicant; and, (4) should the requested financial assistance be provided, that in the execution of this project, the applicant will comply with all assurances required by Ohio Law, including those involving Buy Ohio and prevailing wages.

Applicant certifies that physical construction on the project as defined in the application has NOT begun, and will not begin until a Project Agreement for this project has been executed with the Ohio Public Works Commission. Action to the contrary will result in termination of the agreement and withdrawal of Ohio Public Works Commission funding from the project.


Glann A Miller, President

Certifying Representative (Printed form, Type or Print Name and Title)

Original Signature / Date Signed



















Site Code: NKR- 7.31.2020 Station ID: Liberty Township

Location 1: Road 11 b/ S and T Location 2: Location 3: Location 4:

Summary: Using Average and Correction Factors
Average Volume 106
ADT 106
AADT 106

× 0.841 = 89

Comment 1: Comment 2: Comment 3: Comment 4:

Latitude: 0.000000 Longitude: 0.000000

Site Code: NKR- 7.31.2020
Station ID: Liberty Township
Location 1: Road 11 b/ V and W
Location 2:
Location 3:
Location 4:

Summary: Using Average and Correction Factors
Average Volume 66
ADT 66
AADT 66

X0.841 = 56

Comment 1: Comment 2: Comment 3: Comment 4:

Latitude: 0.000000 Longitude: 0.000000

Site Code: NKR- 8.04.2020
Station ID: Washington Township
Location 1: Road 6C b/ U and T
Location 2:
Location 3:

Location 4:

Summary: Using Average and Correction Factors
Average Volume 64
ADT 64
AADT 64

× 0.884 1 \$7

Comment 1: Comment 2: Comment 3:

Longitude: 0.000000 Latitude: 0.000000 Comment 4:

Site Code: NKR- 8.04.2020
Station ID: Washington Township
Location 1: Road U b/ 1D and 2
Location 2:
Location 3:
Location 4:

Summary: Using Average and Correction Factors Average Volume 187 ADT 187 AADT 187

× 0.884 = 165

Comment 1: Comment 2: Comment 3:

Latitude: 0.000000 Longitude: 0.000000 Comment 4:

Site Code: NKR- 8.21.2020

Station ID: Hamler

Location 1: Blaine Street b/ SR 109 and Third Street Location 2: Location 3: Location 4:

Summary: Using Average and Correction Factors
Average Volume 84
ADT 84
AADT 84

0.807 = 68

Comment 1: Comment 2: Comment 3:

Latitude: 0.000000 Longitude: 0.000000 Comment 4:

Site Code: NKR- 8.21.2020 Station ID: Hamler

Location 1: Railroad Street b/ Marion and Main

Street

Location 2: Location 3:

Location 4:

Summary: Using Average and Correction Factors
Average Volume 90
ADT 90
AADT 90

× 0.807 = 73

Comment 1: Comment 2: Comment 3:

Comment 4:
Latitude: 0.000000
Longitude: 0.000000

Site Code: NKR- 8.27.2020

Station ID: Hamler

Location 1: Cleveland Strreet b/ Third and Fourth

Street

Location 2: Location 3: Location 4:

Summary: Using Average and Correction Factors
Average Volume 75
ADT 75
AADT 75

X 0.853 = 64

Comment 1: Comment 2: Comment 3:

Comment 4: Latitude: 0.000000 Longitude: 0.000000

Site Code: NKR- 8.25.2020 Station ID: Hamler

Location 1: Second Street b/ Hubbard and Cowen

Street

Location 2: Location 3: Location 4:

Latitude: 0.000000 Longitude: 0.000000

Comment 4:

Comment 1: Comment 2: Comment 3:

Summary: Using Average and Correction Factors
Average Volume 54
ADT 54
AADT 54

× 0.834 = 48

TOTAL = 620

## ENGINEER'S CERTIFICATION FOR INFRASTRUCTURE PROJECT APPLICATION

To: Li

Linda S. Bailiff

**Ohio Public Works Commission** 

Columbus, OH

Please accept this certification that I, Timothy J Schumm, PE, PS, have examined the project application listed in the attached document, and in my opinion, the estimated total cost of \$350,000.00 is reasonable and appropriate. I further certify the project to have a minimum life of 15 years.

(1) Title of Project: Henry County 2021 Resurfacing Project

(2) Political Subdivision Submitting this Project: Henry County

(3) Type of Project: Road Overlay

(4) Amount of Funds Requested: \$175,000

(5) Local number assigned to this project: N/A

Respectfully Submitted,

Timothy FSchumm, P.E. P.

Henry County Engineer

### 2021 Resurfacing Program

The undersigned, Timothy J Schumm, PE, PS, Henry County Engineer does hereby certify the attached project estimate to be reasonable and appropriate based on previously bid unit prices.

Henry County Engineer

Ohio P.E. #62821

# Co. Rd. 11 (Co. Rd. S-Co. Rd. T) Length: 5245 Feet or 0.99 Mile(s) Width: 17 Feet (Approx. 9985 S.Y. including radius and driveway work) Type: ODOT Supplemental Spec 823 W/ 617 Berm @ 1.5 Feet Wide Each Side

83,300.00	s			Estimate Total			and the property of the Control of t	
1,000.00	S	1,000.00	υ	Contract Performance & Payment Bond	ĽS.		103.05 1	7
2,000.00	<del>()</del>	2,000.00	↔	Mobilization	ĽS.	_	624	တ
2,500.00	S	2,500.00	↔	Maintaining Traffic	LS.	_	614	Οī
3,000.00	<del>()</del>	1,000.00	↔	Formed Construction Joint (136 L.F.)	EΑ	ယ	Spec.	4
4,745.00	₩	65.00	<del>(</del> )	average depth of	C.Y.	73	617	ယ
				Stabilized crushed aggregate berm in place and compacted at the				
68,805.00	÷	165.00	<del>(</del>	applied, spread and compacted at the average depth of 1.5 inches	C.Y.	417	823	N
				Asphalt intermediate course PG 64-22, Type 1 (Light Traffic)				
2.50 \$ 1,250.00	S	2.50	↔	Bituminous Tack Coat applied at 0.05 gallons per square yard	Gal	500	1 407 500	_
Total Price		Unit Price		Ref. # Item Quantity Unit Description	<u>Unit</u>	Quantity	ltem	Ref. #

80,300.00	÷			Estimate Total				
1,017.50	↔	1,017.50	↔	Contract Performance & Payment Bond	L.s.	<u>্</u>	103.05 1	7
2,000.00	<del>69</del>	2,000.00	₩	Mobilization	Ls.	_	624	თ
2,500.00	€	2,500.00	↔	Maintaining Traffic	LS.	_	614	Q1
2,000.00	S	1,000.00	₩.	Formed Construction Joint (100 L.F.)	ĒΑ	N	Spec.	4
4,745.00	↔	65.00	₩.	average depth of	C.Y.	73	617	ယ
				Stabilized crushed aggregate berm in place and compacted at the				
66,825.00	s	165.00	₩	applied, spread and compacted at the average depth of 1.5 inches	C.Y.	405	823	2
				Asphalt intermediate course PG 64-22, Type 1 (Light Traffic)				
2.50 \$ 1,212.50	↔	2.50	₩	Bituminous Tack Coat applied at 0.05 gallons per square yard	Gal	485	1 407	_
Total Price		Unit Price	ıc	it Description	Quantity Unit	eno i	Ref. # Item	Ref. #
				Type: ODOT Supplemental Spec 823 W/ 617 Berm @ 1.5 Feet Wide Each Side	mental Spec	Suppler	ODOT (	Туре:
				Width: 16.5 Feet (Approx. 9700 S.Y. including radius and driveway work)	(Approx. 97	-eet	16.5 F	Width:
					Length: 5260 Feet or 1 Mile(s)	Feet o	1: 5260	Length
				G. W)	Co. Rd. 11 (Twp. Rd. V - Co. Rd. W)	wp. Ro	d. 11 (T	Co. R

# Township Road 6C From Township Road U to County Road T Length: 5300 Feet or 1 Mile(s) Width: 10 Feet (Approx. 5960 S.Y. including radius and driveway work) Type: ODOT Spec 448 W/ 617 Berm @ 1.5 Feet Wide Each Side

			Estimate Total				
\$ 1,017.50	1,017.50	↔	Contract Performance & Payment Bond	L.S.		103.05	7
\$ 2,000.00	2,000.00	€9	Mobilization	LS.	_	624	თ
\$ 2,500.00	2,500.00	↔	Maintaining Traffic	ĽS.		614	თ
\$ 1,600.00	800.00	æ	Formed Construction Joint (90 L.F.)	EA	2	Spec.	4
\$ 4,810.00	65.00	\$	average depth of 1.5 inches	C.Y.	74	617	ω
			Stabilized crushed aggregate berm in place and compacted at the				
165.00 \$ 41,085.00	165.00	↔	spread and compacted at the average depth of 1.5 inches	C.Y.	249	823	N
			Asphalt concrete surface course PG 64-22, Type 1 (823) applied,				
2.50 \$ 1,187.50	2.50	ψ	Bituminous Tack Coat applied at 0.08 gallons per square yard	Gal		1 407 475	_
Total Price	Unit Price Total Price		Description	Unit	Ref. # Item Quantity Unit	<u>ltem</u>	Ref. #

# 4 ָ ס = = 7 mehin Road 1D to Township Road 2

34,500.00	↔			Estimate Total					
1,010.00	↔	1,010.00	Ð	Contract Performance & Payment Bond \$	Contr	L.S.		103.05 1	7
2,000.00	↔	2,000.00	<del>ω</del>	Mobilization \$	Mobili	LS.		624	თ
2,500.00	မ	2,500.00	↔	Maintaining Traffic \$	Maint	LS.		614	ഗ
3,200.00	↔	800.00	₩	Formed Construction Joint (120 L.F.)	Forme	E A	4	Spec.	4
2,535.00	s	65.00	49	average depth of 1.5 inches \$	avera	C.Y.	39	617	ω
				Stabilized crushed aggregate berm in place and compacted at the	Stabil				
165.00 \$ 22,605.00	s	165.00	49	spread and compacted at the average depth of 1.5 inches	sprea	C.Y.	137	823	2
				Asphalt concrete surface course PG 64-22, Type 1 (823) applied,	Aspha				
650.00	မာ	2.50 \$	↔	Bituminous Tack Coat applied at 0.08 gallons per square yard \$	Bitum	Gal	260	407	-
Total Price		Unit Price	_		it Description		Ref. # Item Quantity Unit	<u>ltem</u>	Ref. #
		A CONTRACTOR AND A CONT		Type: ODOT Spec 446 W/ 61/ Beith @ 1.3 Feet Wide Edot Side	0e III	7017	DEC 446 VV	טויט שן	Type: (
				S TOOL WIND TOOK OID		1 647	20010	) ) ) )	H
		difference on semination of the semination of th		Width: 10.5 Feet (Approx. 3275 S.Y. including radius and driveway work)	275 S.Y. ii	rox. 32	et (App	10.5 Fe	Width:
					(S)	2 Mile(	Length: 2750 Feet or 0.52 Mile(s)	: 2750 F	Length
				Township Road U From Township Road 1D to Township Road 2	nship Roa	Town	d U From	hip Roa	Towns

20,300.00	<b>ب</b>		Blaine Steet Total				
990.00	\$	\$ 990.00	Contract Performance & Payment Bond	L.S.	۲	103.05	9
1,500.00	\$	\$ 1,500.00	Mobilization	L.S.	1	624	8
1,000.00	\$	\$ 1,000.00	Maintaining Traffic	L.S.	Н	614	7
1,950.00	\$	\$ 975.00	Formed Construction Joint (80 L.F.)	EA	2	Spec.	6
3,000.00	\$	\$ 1,500.00	Manholes Adjusted to Grade	EA	2	611	5
585.00	\$	\$ 65.00	compacted at the average dept of 1.5 inches	· :	į,	) TO	1
	-		Stabilized Crushed aggregate berm in place and	<u> </u>	D	617	<b>&gt;</b>
10,250.00	\$	\$ 250.00	average depth of 1.5 inches				
			Traffic), Type 1 applied, spread, and compacted at the	C.Y.	41	823	ω
			Asphalt concrete surface course PG 64-22 (Light	****			
900.00	\$	\$ 300.00	that has settled				
			average depth of 1.5 inches on 4'X100' Sewer Trench	<u>:</u>	ţ	72	1
	-		Traffice), Type 1 applied, spread and compacted at the	<u> </u>	υ	873	J
			Asphalt concrete intermediate course PG 64-22, (Light				
125.00	\$	\$ 2.50	square yard	2	ر	Ş	F
	-		Bituminous Tack Coat applied at 0.05 gallons per	<u> </u>	л 5	407	<b>د</b>
Total Price	1	Unit Price	Type: Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course	Suppleme	with ODOT	urfacing v	ype: Res
		TO A TABLE OF A VARIOUS OF TAXABLE AND A VARIABLE MAKE THE REAL PROPERTY.	Width: 12.5 Feet (Approx. 975 S.Y. including radius and driveway work)	5 S.Y. incl	(Approx. 97	.5 Feet	Vidth: 12
					Length: 650 Feet or 0.12 Mile(s)	50 Feet or	ength: 65
Commence of the commence of th		where a commence and a commence of a constitution of the commence of the comme	(Village of Hamler) Blaine Street From State Route 109 to Third Street	et From St	Blaine Stre	r Hamler)	Village o

\$ 14,200.00		Cleveland Street Total				
\$ 902.50	\$ 902.50	Contract Performance & Payment Bond	LS.	ш	103.05	17
\$ 1,500.00	\$ 1,500.00		L.S.	Н	624	16
\$ 1,000.00	\$ 1,000.00	Maintaining Traffic	L.S.	1	614	15
\$ 1,900.00	\$ 950.00	Formed Construction Joint (70 L.F.)	EA	2	Spec.	14
\$ 3,000.00	\$ 1,500.00	Manholes Adjusted to Grade	EA	2	611	13
\$ 585.00	\$ 65.00	compacted at the average dept of 1.5 inches	C.T.	v	/10	<u></u>
		Stabilized Crushed aggregate berm in place and	<	D	617	ر د
\$ 5,250.00	\$ 250.00	average depth of 1.5 inches				
		Traffic), Type 1 applied, spread, and compacted at the	C.Y.	21	823	11
		Asphalt concrete surface course PG 64-22 (Light				
\$ 62.50	\$ 2.50	square yard	Gäl	0	40/	TO
		Bituminous Tack Coat applied at 0.05 gallons per	2	יי	707	200
Total Price	Unit Price	Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course	upplemen	ith ODOTS	surfacing w	Type: Re:
- A-1- A-1- A-1- A-1- A-1- A-1- A-1- A-		(Approx. 485 S.Y. including radius and driveway work)	S.Y. includi	prox. 485 S		Width: 12 Feet
ere en				.06 Mile(s)	Length: 320 Feet or 0.06 Mile(s)	Length: 3
to the first Approximation in a communication makes the same construction and the complete the first the f	ere en en en eneme i enementantement entre entre entre en en entre en entre en entre en entre en entre en entre	(Village of Hamler) Cleveland Street From Third Street to Fourth Street	treet From	leveland S	f Hamler) C	(Village o
\$ 29,200.00		Railroad Street Total				
\$ 902.50	\$ 902.50	Contract Performance & Payment Bond	L.S.	P	103.05	9
\$ 1,500.00	9 9	Mobilization	L.S.	Н	624	8
\$ 1,000.00	1,000.00	Maintaining Traffic	L.S.	Ь	614	7
\$ 1,950.00		Formed Construction Joint (80 L.F.)	ΕA	2	Spec.	6
\$ 1,800.00	· ·	Water Valves Ajusted to Grade	ΕA	2	611	5
\$ 3,000.00	9	Manholes Adjusted to Grade	EA	2	611	4
\$ 585.00	\$ 65.00	compacted at the average dept of 1.5 inches	C. Y.	ď	/Т9	u
		Stabilized Crushed aggregate berm in place and		)	C17	J
\$ 18,250.00	\$ 250.00	average depth of 1.5 inches				
		Traffic), Type 1 applied, spread, and compacted at the	C.Y.	73	823	2
1		Asphalt concrete surface course PG 64-22 (Light				
\$ 212.50	\$ 2.50	square yard	9	9	, †	F
		Bituminous Tack Coat applied at 0.05 gallons per	<u> </u>	on .	707	
Total Price	Unit Price	Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course	upplemen	ith ODOT S	urfacing w	Type: Re:
eran entre e	TABLE A LANGE OF THE PARTY OF T	(Approx. 1740 S.Y. including radius and driveway work)	S.Y. includ	prox. 1740		Width: 18 Feet
			00000 00000000000000000000000000000000	.16 Mile(s)	Length: 860 Feet or 0.16 Mile(s)	Length: 8
me i i se con fore ame accommente y el film l'inscreant d'ille es dell'entitable	construction of conference and the commence of construction contracts of the contract of the c	(Village of Hamler) Railroad Street From Marion Street to Main Street	eet From I	ailroad Str	t Hamler) F	(Village o

radius and driveway work)  ec. 823 (Type 1) Surface Course  Iminous Tack Coat applied at 0.05 gallons per are yard  halt concrete surface course PG 64-22 (Light ffic), Type 1 applied, spread, and compacted at the rage depth of 1.5 inches  rage depth of 1.5 inches  placted at the average dept of 1.5 inches  med Construction Joint (320 L.F.)  ntaining Traffic  tract Performance & Payment Bond  you interest by the price of the price	\$ 34,000.00		Second Street Total				
se       Unit Price       Total         0.05 gallons per       \$ 2.50 \$         PG 64-22 (Light and compacted at the and compacted at the function of 1.5 inches       \$ 250.00 \$ 20         rm in place and of 1.5 inches       \$ 65.00 \$ 1         \$ 975.00 \$ 1         \$ 1,000.00 \$ 1         \$ 1,500.00 \$ 1		\$ 957.5	Contract Performance & Payment Bond	L.S.	Н	103.05	24
se       Unit Price       Total         0.05 gallons per       \$ 2.50 \$         PG 64-22 (Light and compacted at the and compacted at \$ 250.00 \$       \$ 20         rm in place and of 1.5 inches       \$ 65.00 \$       \$ 1        F.)       \$ 1,000.00 \$       \$ 1		\$ 1,500.0	Mobilization	L.S.	Ь	624	23
se       Unit Price       Total         0.05 gallons per       \$ 2.50       \$         PG 64-22 (Light and compacted at the and compacted at the string place and rm in place and sf 1.5 inches       \$ 250.00       \$ 20         rm in place and sf 1.5 inches       \$ 65.00       \$ 1         .F.)       \$ 975.00       \$ 7	\$	\$ 1,000.0	Maintaining Traffic	L.S.	Ъ	614	22
se Unit Price Total  0.05 gallons per \$ 2.50 \$  PG 64-22 (Light and compacted at the arm in place and \$ 250.00 \$ 20  ff 1.5 inches \$ 65.00 \$ 1		\$ 975.0	Formed Construction Joint (320 L.F.)	ΕA	8	Spec.	21
se Unit Price Total  0.05 gallons per \$ 2.50 \$  PG 64-22 (Light and compacted at the square) \$ 250.00 \$  rm in place and		\$ 65.0	compacted at the average dept of 1.5 inches	C. 1.	27	01/	20
se Unit Price Total  0.05 gallons per  \$ 2.50 \$  PG 64-22 (Light and compacted at the \$ 250.00 \$ 20			Stabilized Crushed aggregate berm in place and	\ <	77	617	<b>3</b>
se Unit Price Total  0.05 gallons per \$ 2.50 \$  PG 64-22 (Light and compacted at the	\$	\$ 250.0	average depth of 1.5 inches				
se Unit Price Total 0.05 gallons per \$ 2.50 \$ PG 64-22 (Light			Traffic), Type 1 applied, spread, and compacted at the	C.Y.	83	823	19
se Unit Price Total 0.05 gallons per \$ 2.50 \$			Asphalt concrete surface course PG 64-22 (Light				
se Unit Price 0.05 gallons per	\$	\$ 2.5	square yard	2	Ĺ	ξ	Ę
se Unit Price			Bituminous Tack Coat applied at 0.05 gallons per	<u> </u>	05	707	10
ng radius and driveway work)	Total Price	Unit Price	Type: Resurfacing with ODOT Supplement Spec. 823 (Type 1) Surface Course	upplemer	ith ODOTS	surfacing w	Type: Res
	of the last of the comments of the following the comments and the comments of		Width: 12.5 Feet (Approx. 1595 S.Y. including radius and driveway work)	95 S.Y. incl	Approx. 15	.5 Feet (/	Width: 12
	The same and the s			s)	0.23 Mile(	Length: 1220 Feet or 0.23 Mile(s)	Length: 12
ard Street to Cowen Street	11111 M M M M M M M M M M M M M M M M M		(Village of Hamler) Second Street From Hubbard Street to Cowen Street	et From H	econd Stre	f Hamler) S	(Village o

**HC Resurfacing 2021 Project Total Cost** 

\$350,000.00

### **COOPERATION AGREEMENT**

Date:
Date:
Date:
ashington and the Village of Hamler enter into a Public Works Commission for the Roads 11, 6C, U, and
00.00 of the cost of the above referenced project. Such
644,350.00 of the cost of the above referenced project.
50.00 of the cost of the above referenced project. Such
authorizes <u>Henry County</u> to be the lead applicant and to
agree to pay their respected costs of the completed ill vary from the estimated quantities and/or costs found invoices that are due/at the end of the project/as
OOP Agreement
Liberty Township Trustee
Washington Township Trustee

### **AUTHORIZING LEGISLATION**

Shu Class Chairman  Fiscal Officer
Passed: September 1, 2020
Section 2: (Chairm an) is authorized to enter into any agreements as may be necessary and appropriate for obtaining this financial assistance.
Section 1: Steven Clapp (Chairm an) is hereby authorized to apply to the OPWC for funds as described above.
NOW THEREFORE, BE IT RESOLVED by: Liberty Township
WHEREAS, the infrastructure improvement herein above described is considered to be a priority need for the community and is a qualified project under the OPWC programs,
WHEREAS, Liberty Tow nship is planning to make capital improvements to Road (s) two Road (s) and
WHEREAS, the State Capital Improvement Program and the Local Transportation Improvement Program both provide financial assistance to political subdivisions for capital improvements to public infrastructure, and
IMPROVEMENT PROGRAM(S) AND TO EXECUTE CONTRACTS AS REQUIRED
A RESOLUTION AUTHORIZING SHOWN CLOOP (Chairm an) TO PREPARE AND SUBMIT AN APPLICATION TO PARTICIPATE IN THE OHIO PUBLIC WORKS COMMISSION STATE CAPITAL IMPROVEMENT AND / OR LOAL TRANSPORTATION

### CHIEF FINANCIAL OFFICER'S CERTIFICATION OF LOCAL FUNDS / LOAN REPAYMENT LETTER

September 1, 2020
I, <u>Jacob Gape</u> , fiscal officer for <u>Liberty</u> Township, hereby certify that the Township has the amount of \$81,800.00 in the <u>Redet Bridge</u> f und and that this amount will be used to pay the local share for the 2021 Resurfacing Project.
Fiscal Officer

### **COOPERATION AGREEMENT**

2020.01 Date:
Date:
Date:
Washington and the Village of Hamler enter into a to Public Works Commission for the Roads 11, 6C, U, and
1,800.00 of the cost of the above referenced project. Such
ng \$44,350.00 of the cost of the above referenced project.
8,850.00 of the cost of the above referenced project. Such
ler authorizes <u>Henry County</u> to be the lead applicant and to
ler agree to pay their respected costs of the completed n will vary from the estimated quantities and/or costs found pay invoices that are due/at the end of the project/as
or COOP Agreement
Stru M. Classe
Liberty Township Trustee
Washington Township Trustee
i

### **AUTHORIZING LEGISLATION**

A RESOLUTION AUTHORIZING HOLD CONNES (Chairman) TO PREPARE AND SUBMIT AN APPLICATION TO PARTICIPATE IN THE OHIO PUBLIC WORKS COMMISSION STATE CAPITAL IMPROVEMENT AND / OR LOAL TRANSPORTATION IMPROVEMENT PROGRAM(S) AND TO EXECUTE CONTRACTS AS REQUIRED	
WHEREAS, the State Capital Improvement Program and the Local Transportation Improvement Program both provide financial assistance to political subdivisions for capital improvements to public infrastructure, and	
WHEREAS, WAShinaton Township is planning to make capital improvements to Road (s) Rd. U. het 19-2, and Rd. GC, bet T-U	
WHEREAS, the infrastructure improvement herein above described is considered to be a priority need for the community and is a qualified project under the OPWC programs,	
NOW THEREFORE, BE IT RESOLVED by: Washington Township  Section 1: Hacola Conner (Chairman) is hereby authorized to apply to the OPW for funds as described above.  Section 2: Harola Conner (Chairman) is authorized to enter into any agreements as may be necessary and appropriate for obtaining this financial assistance.	С
Passed: 5/18, 2020  About The Passed: 5/18 Ab	_

### CHIEF FINANCIAL OFFICER'S CERTIFICATION OF LOCAL FUNDS / LOAN REPAYMENT LETTER

5-18-	, 2020
I, Pat Myes the Township has the will be used to pay the	, fiscal officer for <u>Washing to n</u> Township, hereby certify that amount of \$44,350.00 in the <u>Special Lew</u> fund and that this amount local share for the 2021 Resulfacing Project. Rd and Bridge
Fiscal Officer	jers.

#### **COOPERATION AGREEMENT**

Liberty Towr	ship Resolution Number:	Date:	
Washington To	wnship Resolution Number: <u>2020</u>	<i>5/8- </i> _Date:_	5-18-2020
Village of Ha	mler Resolution Number:	Date:	···
	the Townships of Liberty and Washi bmit an application to the Ohio Publi nd Second Streets.		
Henry County will be lead ap	plicant.		
<u>Liberty Township</u> will collect funds will come from the	and provide funds totaling \$81,800.0 fund.	O of the cost of th	e above referenced project. Such
<u>Washington Township</u> will co Such funds will come from th	llect and provide funds totaling \$44, in Special fund.	350.00 of the cost	of the above referenced project.
Village of Hamler will collect funds will come from the	and provide funds totaling <u>\$48,850.0</u>	O of the cost of th	e above referenced project. Such
Liberty and Washington Tow sign all necessary documents	nships and the Village of Hamler auth	orizes <u>Henry Coun</u>	ty to be the lead applicant and to
project as determined by the	nships and the Village of Hamler agree Henry County Engineer which will vand above. All parties agree to pay inv	ry from the estima	ted quantities and/or costs found
	Signature Page for COOI	<sup>o</sup> Agreement	
Henry County		Liberty Tow	nship Trustee
Mayor of Hamler		Washington	Township Trustee

### **AUTHORIZING LEGISLATION**

A RESOLUTION AUTHORIZING DOL- TO LO	(Mayor) TO PREPARE AND
SUBMIT AN APPLICATION TO PARTICIPATE IN STATE CAPITAL IMPROVEMENT AND / OR LOA	THE OHIO PUBLIC WORKS COMMISSION
PROGRAM(S) AND TO EXECUTE CONTRACTS	AS REQUIRED
WHEREAS, the State Capital Improvement Program provide financial assistance and the control of t	am and the Local Transportation tance to political subdivisions for capital
improvements to public infrastructure, and	
to Streets (s), and	is planning to make capital improvements
WHEREAS, the infrastructure improvement herein priority need for the community and is a qualified p	above described is considered to be a roject under the OPWC programs,
NOW THEREFORE BE TO BE A DEC.	
NOW THEREFORE, BE IT RESOLVED by: the Vi	llage of thank
Section 1: Galbabeter (Mayor) is h funds as described above.	ereby authorized to apply to the OPWC for
Section 2: G. Jell Brubike (Mayor) is may be necessary and appropriate for obtaining this	authorized to enter into any agreements as
, , ,	o manda abbistance.
Passed: 3 Avg , 2020	
Chairman	Shell Grant
Ondistrigit	Fiscal Officer /

# CHIEF FINANCIAL OFFICER'S CERTIFICATION OF LOCAL FUNDS / LOAN REPAYMENT LETTER

Heg. 3, 2020	
I,, fiscal officer for that the Village has the amount of \$48,850.00.0 amount will be used to pay the local share for the state of the state	the Village of Hamle , hereby certify 0 in the Ceneral fund and that this he 2021 Resurfacing Project.
Fiscar Officer Mant	

#### **COOPERATION AGREEMENT**

Liberty Township Resolution Number:	Date:
Washington Township Resolution Number:	Date:
Village of Hamler Resolution Number:	
Henry County (lead only) and the Townships of Liberty and cooperative agreement to submit an application to the Oh Blaine, Railroad, Cleveland, and Second Streets.	d Washington and the Village of Hamler enter into a io Public Works Commission for the Roads 11, 6C, U, and
Henry County will be lead applicant.	
<u>Liberty Township</u> will collect and provide funds totaling <u>SS</u> Such funds will come from the fund.	1,800.00 of the cost of the above referenced project.
Washington Township will collect and provide funds totali project. Such funds will come from the fur	ng <u>\$44,350.00</u> of the cost of the above referenced d.
Village of Hamler will collect and provide funds totaling <u>Second</u> fund.	48,850.00 of the cost of the above referenced project.
<u>Liberty and Washington Townships and the Village of Ham</u> to sign all necessary documents.	<u>ler</u> authorizes <u>Henry County</u> to be the lead applicant an
Liberty and Washington Townships and the Village of Ham project as determined by the Henry County Engineer which found in the Engineers estimates and above. All parties agreed upon.	h will vary from the estimated quantities and/or costs
Signature Page for	COOP Agreement
Henry County  MINGO	Liberty Township Trustee
Mayor of Hamler	Washington Township Trustee
	f .

# DISTRICT 5 CAPITAL IMPROVEMENT PROJECTS QUESTIONNAIRE ROUND 35

Name of App	licant: Henry County			
	Henry County 2021 F	Resurfacing Project		

The following questions are to be answered for each application submitted for State Issue II SCIP, LTIP and Loan Projects. Please provide specific information using the best documentation available to you. Justification of your responses to these questions will be required if your project is selected for funding, so please provide correct and accurate responses. Communities and Townships under 5,000 in population should also complete the Small Government Criteria.

1.	What percentage of the project in repair $A=100$ _%, replacement $B=$ %, expansion $C=$ %, and new $D=$
	%? (Use dollar amounts of project to figure percentages and make sure the total equals one
	hundred(100) percent) A+B= $\underline{100}$ % C+D= $\underline{}$ % ORC Reference(s):164.06(B)(1); 164.14(E)(10)

Repair/Replacement = Repair or Replacement of public facilities owned by the government (any subdivision of the state).

New/Expansion = Replacement of privately owned wells, septic systems, private water or wastewater systems, etc.

2a. Existing Physical Condition of Infrastructure **ORC Reference(s):164.06(B)(2);164.14(E)(9);164.14(E)(2);**164.14(E)(8)

Points	Category	Description	Examples
10	Failing	Infrastructure has reached a point where it requires replacement, reconstruction or reconfiguration to fulfill its purpose	-Intersection Reconfiguration due to accident problem- Structural paving of 3.5" or greater of additional pavement - Pavement Widening to meet ODOT L&D Standards - Complete Pavement Reconstruction -Water or Sewer Line Replacement - Water or Sewer Plant Replacement - Widening graded shoulder width to ODOT L&D Standard -Complete Bridge or Culvert replacement
8	Poor	The condition is substandard and requires repair or restoration in order to return to the intended level of service and comply with current design standards. Infrastructure contains deficiency and is functioning at a diminished capacity.	-Multiple course of paving - Structural Culvert Lining - Bridge Deck Replacement - Replacement of a significant part of a water or sewer plant - Single course of paving with 25% base repair-Widening graded shoulder width to less than ODOT L&D Standard

6	Fading  XX	The condition requires reconditioning to continue to function as originally intended.	-Single course of paving -Sewer Lining Projects -Water tower painting -Replacement of pumps, hydrants, valves, filters, etc in existing water and sewer systems-Widening aggregate berm on existing graded shoulder width
4	Fair	The condition is average, not good or poor. The infrastructure is still functioning as originally intended. Minor deficiencies exist requiring repair to continue to function as originally intended and/or to meet current design standards	
2	Good	The condition is safe and suitable to purpose. Infrastructure is functioning as originally intended, but requires minor repairs and/or upgrades to meet current design standards	
0	Excellent	The condition is new or requires no repair. Or, no supporting documentation has been submitted	

2b. Age of Infrastructure ORC Reference(s):164.06(B)(2)

8		,	
Life	20	30	50
Project		Wastewater and Water	Bridge/Culvert, Sanitary
Type	Road	Treatment	Sewer, Water Supply,
			Storm Water, Solid
			Waste
Points			
0	0-4 Years	0-6 Years	0-10 Years
1	5-8 Years	7-12 Years	11-20 Years
2	9-12 Years	13-18 Years	21-30 Years
3	13-16 Years	19-24 Years	31-40 Years
4 XX	17-20 Years	25-30 Years	41-50 Years
5	20+ Years	30+ Years	50+ Years

#### 3. Health and Safety Rating: ORC Reference(s):164.06(B)(4),164.14(E)(1); 164.14(E)(10)

If the proposed project is not approved what category would best represent the impact on the general health and/or public safety?

## **ROADS**

Extremely Critical: Resurfacing, Restoration, Rehabilitation and Reconstruction (4R) of a Major

Access Road.\*



Resurfacing, Restoration and Rehabilitation (3R) of a Major Access Road.\*

Major:

Resurfacing, Restoration, Rehabilitation and Reconstruction (4R) of a Minor

Access Road.\*

Moderate:

Resurfacing, Restoration and Rehabilitation (3R) of a Minor Access Road.\*

Minimal:

Preventative Maintenance of a Major Access Road.

No Impact:

Preventative Maintenance of a Minor Access Road.

Projects that have a variety of work will be scored in the <u>LOWEST</u> category of work contained in the Construction Estimate.

#### Road/Street Classifications:

Major Access Road:

Roads or streets that have a dual function of providing

access to adjacent properties and providing through or

connecting service between other roads.

Minor Access Road:

Roads or streets that primarily provide access to adjacent

properties without through continuity, such as cul-de-sacs

or loop roads or streets.

Preventative Maintenance:

Non Structural Pavement work such as chip sealing, cape

sealing, micro-surfacing, crack sealing, etc.

#### BRIDGES SUFFICIENCY RATING

Extremely Critical:

0-25, or a General Appraisal rating of 3 or less.

Critical:

27-50, or a General Appraisal rating of 4.

Major:

51-65 or a General Appraisal rating of 5 or 6.

Moderate:

66-80 or a General Appraisal rating of 7.

Minimal:

81-100 or a General Appraisal rating of more than 7.

No Impact:

Bridge on a new roadway.

#### WASTEWATER TREATMENT PLANTS

Extremely Critical:

Environmental Protection Agency (EPA) orders in the form of a consent decree,

findings and orders or court order. Health Department Construction Ban.

<sup>\*(3</sup>R) Resurfacing, Restoration and Rehabilitation - Improvements to existing roadways, which have as their main purpose, the restoration of the physical features (pavement, curb, guardrail, etc.) without altering the original design elements. (Surface and Intermediate layer Mill and Fills, overlays with less than or equal to 3.5" of additional pavement, etc....)

<sup>\*(4</sup>R) Resurfacing, Restoration, Rehabilitation and Reconstruction - Much like 3R, except that 4R allows for the complete reconstruction of the roadway and alteration of certain design elements (i.e., lane widths, shoulder width, SSD, overlays with greater than 3.5" of additional pavement. etc.).

Critical: Improvements ordered by the Environmental Protection Agency (EPA) in the

form of NPDES Orders.

Major: Replace deficient appurtenances. Update existing processes due to EPA

recommendations.

Moderate: Increase capacity to meet current needs or update processes to improve effluent

quality.

Minimal: New/Expansion project to meet a specific development proposal.

No Impact: New/Expansion to meet future or projected needs.

#### WATER TREATMENT PLANT

Extremely Critical: EPA orders in the form of a consent decree, findings and orders or court order.

Critical: Improvements to meet Environmental Protection Agency (EPA) Safe Drinking

Water Regulations and/or NPDES Orders.

Major: Replace deficient appurtenances. Update existing processes due to EPA

recommendations.

Moderate: Increase capacity to meet current needs or update processes to improve water

quality.

Minimal: New/Expansion project to meet a specific development proposal.

No Impact: New/Expansion to meet future or projected needs.

<u>COMBINED SEWER SEPARATIONS</u> (May be construction of either new storm or sanitary sewer as long as the result is two separate sewer systems.)

Extremely Critical: EPA orders in the form of a consent decree, findings and orders or court order.

Health Department Construction Ban.

Critical: Separate, due to chronic backup or flooding in basements.

Major: Separate, due to documented water quality impairment, or due to EPA

recommendations.

Moderate: Separate, due to specific development proposal within or upstream of the

combined system area.

Minimal: Separate, to conform to current design standards.

No Impact: No positive health effect.

#### **STORM SEWERS**

Extremely Critical: EPA orders in

EPA orders in the form of a consent decree, findings and orders or court order.

Critical:

Chronic flooding (structure damage).

Major:

Inadequate capacity (land damage).

Moderate:

Inadequate capacity with no associated damage.

Minimal:

New/Expansion to meet current needs.

No Impact:

New/Expansion to meet future or project needs.

#### **CULVERTS**

Extremely Critical: Structurally deficient or functionally obsolete. Deterioration has already caused a

safety Critical: hazard to the public.

Critical: Inadequate capac

Inadequate capacity with land damage and the existing or high probability of

property damage.

Major:

Inadequate capacity (land damage).

Moderate:

Inadequate capacity with no associated damage.

Minimal:

New/Expansion to meet current needs.

No Impact:

New/Expansion to meet future or projected needs.

#### SANITARY SEWERS

Extremely Critical: EPA orders in the form of a consent decree, findings and orders or court order.

Health Department Construction Ban.

Critical: Replace, due to chronic pipe failure, chronic backup or flooding in basements.

Improvements ordered by the Environmental Protection Agency (EPA) in the

form of NPDES Orders.

Major: Replace, due to inadequate capacity or infiltration, or due to EPA

recommendations.

Moderate: Rehabilitate to increase capacity to meet current needs or to reduce inflow and

infiltration.

Minimal: New/Expansion project to meet a specific development proposal.

No Impact: New/Expansion to meet future or projected needs.

SANITARY LIFT STATIONS AND FORCE MAINS

Extremely Critical: Structurally deficient. Deterioration has already caused a safety/health hazard to

the public, or, EPA orders in the form of a consent decree, findings and orders or

court order.

Critical: Inadequate capacity with actual or a high probability of property damage.

Improvements ordered by the Environmental Protection Agency (EPA) in the

form of NPDES Orders.

Major: EPA recommendations, or, reduces a probable health and/or safety problem.

Moderate: Rehabilitate to increase capacity to meet current needs.

Minimal: New/Expansion to meet a specific development proposal.

No Impact: New/Expansion to meet future or projected needs.

#### WATER PUMP STATIONS

Extremely Critical: Structurally deficient. Deterioration has already caused a safety hazard to the

public, or, EPA orders in the form of a consent decree, findings and orders or

court order.

Critical: Inadequate capacity with the inability to maintain pressure required for fire flows.

Major: Replace due to inadequate capacity or EPA recommendations.

Moderate: Rehabilitate to increase capacity to meet current needs.

Minimal: New/Expansion to meet a specific development proposal.

No Impact: New/Expansion to meet future or projected needs.

#### WATER LINES/WATER TOWERS

Extremely Critical: Solve low water pressure or excessive incidents of main breaks in project area.

Critical: Replace, due to deficiency such as excessive corrosion, etc.

Major: Replace undersized water lines as upgrading process.

Moderate: Increase capacity to meet current needs.

Minimal: New/Expansion project to meet a specific development proposal.

No Impact: New/Expansion to meet future or projected needs.

#### **OTHER**

Extremely Critical: There is a present health and/or safety threat.

	Critical:	The project will provide immediate health and/or safety benefit.	
	Major:	The project will reduce a probable health and/or safety problem.	
	Moderate:	The project will delay a health and/or safety problem.	
	Minimal:	A possible future health and/or safety problem mitigation.	
	No Impact:	No health and/or safety effect.	
	NOTE:	Combined projects that can be rated in more than one subset may be rated in the other category at the discretion of the District 5 Executive Committee. In general, the majority of the cost or scope of the project shall determine the category under which the project will be scored.	
	(Submittals v	ithout supporting documentation will receive 0 Points for this question.)	
	Extremely Co	itical, <mark>Critical X</mark> , Major, Moderate, Minimal, No Impact Explai	in
	your answer.		
	(Additional na	rrative, charts and/or pictures should be attached to questionnaire)	
4.	Identify the ar	nount of local funds that will be used on the project as a percentage of the total project	
	cost. ORC Re	ference164.06(B)(6); ORC164.06(B)(3)	
	A.) Amount o	FLocal Funds = $$\underline{175,000}$	
	B.) Total Proj	ect Cost =	
	Note: Local	OCAL FUNDS DIVIDED by TOTAL PROJECT COSTS $(A \Box B) = \underline{50}$ % unds should be considered funds derived from the applicant budget or loans funds to be ugh local budget, assessments, rates or tax revenues collected by the applicant.	
5.	as a percentage Grants%	nount of other funding sources to be used on the project, excluding SCIP or LTIP Funds, the of the total project cost. ORC Reference(s):164.06(B)(7);164.14(E)(4)  Gifts%, Contributions%  (explain)%	200
	Note: Grant	funds and other revenues not contributed or collected through taxes by the applicant sidered other funds. The Scope of Work for each Funding Source must be the same.	

6. Total Amount of SCIP and Loan Funding Requested- An Applicant can request a grant per the categories below for points as indicated on the Priority Rating Sheet. If the Applicant is including a loan request equal to, but not exceeding 50% of the OPWC funding amounts listed below, there will be no point penalty. If loan funds requested are more than 50%, points as listed in the Priority Rating Sheet will apply. **ORC Reference(s):164.14(E)(10);164.06(B)(5)** 

	\$500,001 or More \$400,001-\$500,000 \$325,001-\$400,000 \$275,001-\$325,000 \$175,001-\$275,000 \$175,000 or Less
	There are times when the District spends all of the grant money and has loan money remaining. When this happens, the district makes a loan offer in the amount of the requested grant to the communities that were not funded. The offers are made in the order of scoring. We need to know if you are not successful in obtaining grant dollars for your project if you would be interested in loan money:
	YESX_ NO (This will only be considered if you are not funded with grant money and there is remaining loan money.) Please note: if you answer "no" you will not be contacted, only if you answer "yes" will an offer be made in the event that there is loan money remaining.
7.	If the proposed project is funded, will its completion directly result in the creation of permanent full-
	time equivalent (FTE) jobs (FTE jobs shall be defined as 35 hours/week)? Yes NoX If yes,
	how many jobs within eighteen months? Will the completed project retain jobs that would otherwise
	be permanently lost? Yes No _X If yes, how many jobs will be created/retrained within
	18 months following the completion of the improvements?
	ORC Reference(s): 164.14(E)(3);164.14(E)(10)
	(Supporting documentation in the form of letter from affected industrial or commercial enterprises that
	specify full time equivlent jobs that will be retained or created directly by the installation or
	improvement of Public infrastructure. Additional items such as; 1) newspaper articles or other media
	news accounts, 2) public meeting minutes, and/or 3) a letter from the County Economic Development
	Director or State of Ohio Economic Development Professional that alludes to the requirement for the
	infrastructure improvement to support the business. Submittals without supporting documentation will
	receive 0 points for this question.)
8.	What is the total number of existing users that will directly benefit from the proposed project if
	completed? 620 (Use households served, traffic counts, etc. and explain the basis by which you
	arrived at your number.) ORC Reference 164.14(E)(7); 164.06(B)(10)
9.	Economic Distress Criteria ORC Reference 164.06(B)(8)
9.	What is the Local Median Household Income as a percentage of the District Median Household Income?
	107.51 %. Please utilize the Economic Distress Scoring Criteria based on ACS 2013-2017 Data
	<del></del>
	provided in Exhibit A.

10.	Readiness to Proceed Criteria ORC Reference 164.06(B)(9); ORC 164.14(E)(5)
	Please categorize the status of planning and design elements for the project.
	Plans have not begun yet (0 Points)
	Preliminary Engineering Complete (1 Point)
	X Final Design Complete (2 Points)
11.	Base Score Total for Questions 1-10=
12.	County Subcommittee Priority Points=
	(25-20-15 Points for each of the SCIP and LTIP Project Categories)
13.	DISCRETIONARY POINTS (BY DISTRICT COMMITTEE ONLY)
13a.	A District Discretionary Point may be awarded to projects that demonstrate significant Area-wide,
	County, or Community Impact. (Include documentation to support the claim of significance)
	(Maximum of 1 Point at the discretion of the District Executive Committee)
	ORC Reference 164.14(E)(7)
13b.	A <b>District Discretionary Point</b> may be awarded to projects that demonstrate that the entity has maximized local financial resources including assessments. Provide a Fund Status Report and/or the water and sanitary waste utility rate structures are at least 2.5% of area median household income for combined systems and 1.5% of the area median household income for water and sanitary only systems. Please provide rate ordinances for water and sanitary sewer to be considered for discretionary points. (Maximum of 1 Point at the discretion of the District 5 Executive Committee) ORC Reference 164.06(B)(3)
14.	Grand Total of Points
15.	Is subdivision's population less than 5,000 Yes No If yes, continue. You may want to design your project per Small Government Project Evaluation Criteria, released for the current
	OPWC Round to assist in evaluating your project for potential Small Government Funding. The
	Small Government Criteria is available on the OPWC website at
	//www.pwc.ohio.gov/Portals/0/Data/SmallGovernment%20Round%2035%20Methodology.pdf?ver=2019
<u>-08-0'</u>	7-071749-143

## 16. OHIO PUBLIC WORKS COMMISSION SMALL GOVERNMENT PROGRAM GUIDELINES

All projects that are sponsored by a subdivision with a population of 5,000 or less, and not earning enough points for District Funding from SCIP or LTIP Funds, are then rated using the Small

Government Program Rating Criteria for the corresponding funding round. In order to be rated the entity must submit the Small Government Suppliment and their required budgets with their application. Only infrastructure that is village- or township- owned is eligible for assistance. The following policies have been adopted by the Small Government Commission:

- •District Integrating Committees may submit up to seven (7) applications for consideration by the Commission. All 7 must be ranked, however, only the top five (5) will be scored. The remaining two (2) will be held as contingency projects should an application be withdrawn.
- Grants are limited to \$500,000. Any assistance above that amount must be in the form of a loan.
- Grants for new or expanded infrastructure cannot exceed 50% of the project estimate.
- The Commission may deny funding for water and sewer systems that are deemed to be more cost-effective if regionalized.
- •If a water or sewer project is determined to be affordable, the project will be offered a loan rather than a grant. Pay special attention to the Water & Wastewater Affordability Supplemental and the Small Government Water & Wastewater Affordability Calculation Worksheet. Both are available on the Small Government Program Tab at <a href="https://www.pwc.ohio.gov/Programs/Infrastructure-Programs/Small-Government">https://www.pwc.ohio.gov/Programs/Infrastructure-Programs/Small-Government</a>
- •Should there be more projects that meet the "annual score" than there is funding, the tie breaker is those projects which scored highest under Health & Safety, with the second tie breaker being Condition. If multiple projects have equivalent Health & Safety and Condition scores they are arranged according to the amount of assistance from low to high. Once the funded projects are announced, "contingency protects" may be funded from project under-runs by continuing down the approved project list.
- Supplemental assistance is not provided to projects previously funded by the Commission.
- •Applicants have 30 days from receipt of application by OPWC without exception to provide additional documentation to make the application more competitive under the Small Government criteria. Applications will be scored after the 30-day period has expired. The applicants for each District's two (2) contingency projects will have the same 30-day period to submit supplemental information but these applications will not be scored unless necessary to do so. It is each applicant's responsibility for determining the need for supplemental material. The applicant will not be asked for or notified of missing information unless the Commission has changed the project type and it affects the documentation required. Important information may include, but is not limited to: age of infrastructure, traffic counts or utility users, median income information, user rates ordinances, and the Auditor's Certificate of Estimated Revenues or documentation from the Auditor of State that subdivision is in a state of fiscal emergency.

<u>If you desire to have your Round 35 project considered for Small Government Funding please</u>
<u>download the Small Government Evaluation Criteria applicable to Round 35 by accessing the OPWC</u>
Website at

 $\underline{https://www.pwc.ohio.gov/Portals/0/Data/SmallGovernment\%20Round\%2035\%20Methodology.pdf?}\\ \underline{ver=2019-08-07-071749-143}$ 

Please complete the Small Government Evaluation Criteria and attach all required supporting documentation and attach it to the District 5 Questionnaire for Round 35.

Date: September 3, 2020
Signature: Henry County Engineer

Address: 1823 Oakwood Avenue; Napoleon OH 43545
Phone: 419-592-2976
FAX: 419-592-5508

tschumm@henrycountyengineer.com

Email: